



PRODUCT CATALOG

2024



AMD FITTING
ELECTRO FUSION

PT. GOLDEN PIPING INDONESIA



TENTANG KAMI

PT. GOLDEN PIPING INDONESIA

PT. GPI Sejak Tahun 2000, merupakan perusahaan yang terlengkap dalam menyediakan produk dan solusi sistem perpipaan, untuk berbagai kebutuhan pada jaringan air bersih, air buangan, air panas, pendingin udara, irigasi, hydrant, dewatering, pelindung kabel, gas dan instalasi lainnya, yang banyak digunakan pada bidang Infrastruktur PUPR, PDAM, Utilitas, Pertambangan, Industri, Pertambangan, Perkebunan, Taman, Pertanian, Perumahan, Gedung, Telekom, Electrical dan Gas.

Produk kami diantaranya Pipa HDPE, PVC, PPR, Steel, PE Multilayer, PE Corrugated, Fitting, Mesin & Tool, Valve, Aksesories, dan Instalasi. Kami selalu berinovasi mengembangkan produk dengan teknologi terkini sehingga lebih berkualitas, efisien, dan optimal.

Visi

Menjadi Perusahaan Terbesar, Terbaik, Terinovatif dan Terlengkap di bidang Perpipaan di Indonesia

Misi

- Menyediakan Produk berkualitas dan bergaransi.
- Menyediakan solusi lengkap di bidang perpipaan.
- Memberikan dukungan teknis produk dan pemasangan.
- Berinovasi dengan teknologi terbaru sehingga lebih optimal.
- Memberikan Pelayanan, Kemudahan, Pengiriman dan harga terbaik.

200+

Karyawan

10.000+

Konsumen

15.000+

Produk

22.000 m²

Area



Coupler
SDR 26 PE 100
Water : 6 Bar



Coupler
SDR 17 PE 100
Gas : 6 Bar / Water : 10 Bar




Coupler
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



Coupler
SDR 9 PE 100
Water : 20 Bar



Coupler
SDR 7,4 PE 100
Water : 25 Bar



Coupler
SDR 6 PE 100
Water : 32 Bar



Dost Coupler
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



Coupler (Long)
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



Tapping Tee
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



Tapping Tee with Brass
SDR 11 PE 100
Water : 16 Bar



Tapping Tee (VS Type)
SDR 11 PE 100
Water : 16 Bar



Tapping Tee (VA Type)
SDR 11 PEE100
Gas : 10 Bar / Water : 16 Bar



Tapping Tee with Gas - Stop
SDR 11 PE 100
Gas : 1 - 5 Bar



Tapping Tee with End Cap
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



Tapping Tee with 360° Rotating Outlet
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



16

Tapping Tee with 360° Rotating Outlet
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



Tapping Tee with Inner Cap
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar



17

Saddle
SDR 11 PE 100
Gas : 8 Bar / Water : 16 Bar

18



Saddle
SDR 17 PE 100
Gas : 4 Bar / Water : 10 Bar

19



Saddle
SDR 11 PE 100
Water : 10 Bar / Water : 16 Bar

20



Saddle - Stop System
SDR 11 PE 100
Gas : 4 Bar / Water : 10 Bar

21



Ballon Saddle
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

22



Big Size Saddle
SDR 26 PE 100
Water : PN 6

23



Repair Saddle
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

24



Big Size Repair
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

25



Inner Saddle
PE 100

26



Equal Tee
SDR 11 PE 100
Water : 16 Bar

27



Reducer Tee
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

28



Reducer
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

29



Elbow 90°
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

30



Elbow 45°
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

31



Coupler SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

32



End Cap
SDR 17 PE 100
Gas : 4 Bar / Water : 10 Bar

33



End Cap
SDR 11 PE 100
Gas : 10 Bar / Water : 16 Bar

34



Coupler for Pre-Insulated/Double
Countainment PE Piping System
PE 100

35



Flexible Patch
For Sleeve Coupler

36



Twin Inner Coupler
PE 100

37



PP - Coupler
SDR 26
Water : 6 Bar

38



PP - Welding Adaptor (Male-Female)
SDR 11
Water : 16 Bar

39



PP - Saddle
SDR 26
Water : 6 Bar

40



U - Coupler
SDR 11 PE 100
Water : 16 Bar

41



Dual Containment
Flex Elbow
SDR : 26 PE 100

42



Reducer (Short)
For Dual
Containment Pipe

43



Dual Containment
Coupler
Type : EF

44



Tank Penetration
Saddle

45



Inner Cap For Horizontal Drilling
PE 100

46



Tank Outlet For PE
And PE - X Tank

47



PE - Brass
Transition Coupler (Female)

48



PE - Brass
Transition Coupler (Male)

49



PE - Brass Transition
Elbow 90° (Male)

50



PE - Brass Transition
Elbow 90° (Female)

51



PE - Brass Transition
Elbow 45° (Male)

52



PE - Brass Transition
Elbow 45° (Female)

53



PE - Brass Transition Fitting Male
(Threaded) PE 100

54



PE - Brass Transition Fitting Female
(Threaded) PE 100

55



PE - Transition Fitting Male
(Threaded) PE 100

56



Flex Restraint
PE 100

57



Inner Flex
For Menhole Steps

58



Heavy Duty
Flex

59



Flange Adaptor
PE 100

60



Dost Flange Adaptor
PE 100

61



Inner Flange Adaptor
PE 100

62



Inner Coupler with Female Thread
PE 100

63



Coupler - High Pressure Sandwich
and Sandwich Saddle Up To 100 Bar

64



Brass Outlet EF Saddle
SDR 11

65




Wheel Saddle

66

01 Coupler



TYPE A



- PE 100 Black
- For use Water




SDR 26 : 6 Bar

Water




TYPE B



The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Box Sizes	Nos/Box	Kg	Type	Code
50	60	75	30x40x30	30	0.10	A	AC26PEEF50
63	75	83	30x40x30	30	0.12	A	AC26PEEF63
75	87	83	60x40x30	36	0.13	A	AC26PEEF75
90	103	100	30x40x30	18	0.25	A	AC26PEEF90
110	125	100	60x40x30	24	0.34	A	AC26PEEF110
125	140	100	30x40x30	16	0.38	A	AC26PEEF125
140	155	160	60x40x45	12	0.67	B	AC26PEEF140
160	175	160	60x40x45	12	0.80	B	AC26PEEF160
180	197	160	60x40x45	12	0.93	B	AC26PEEF180
200	220	165	60x40x45	8	1.15	B	AC26PEEF200
225	245	165	60x40x45	7	1.25	B	AC26PEEF225
250	275	165	60x40x30	4	1.65	B	AC26PEEF250
280	305	165	60x40x45	3	2.00	B	AC26PEEF280
315	345	165	60x40x45	3	2.50	B	AC26PEEF315
355	390	180	60x40x45	3	4.00	B	AC26PEEF355
400	440	220	60x40x45	2	5.50	B	AC26PEEF400
450	495	220	60x60x33	1	7.00	B	AC26PEEF450
500	550	220	-	-	8.70	B	AC26PEEF500
560	615	250	-	-	12.20	B	AC26PEEF560
630	690	330	-	-	19.70	B	AC26PEEF630
710	780	330	-	-	26.00	B	AC26PEEF710
800	880	330	-	-	33.50	B	AC26PEEF800
900	990	380	-	-	48.70	B	AC26PEEF900
1000	1110	380	-	-	72.20	B	AC26PEEF1000
1200	1300	400	-	-	75.40	B	AC26PEEF1200
1400	1530	425	-	-	122.40	B	AC26PEEF1400
1600	1750	450	-	-	170.40	B	AC26PEEF1600
2000	2190	450	-	-	268.00	B	AC26PEEF2000

- PE 100 Black
- For use Water & Gas



Water

SDR 17 : 10 Bar



Gas

SDR 17 : 6 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.


d	D	L	Box Sizes	Nos/Box	Kg	Code
280	330	220	60x40x45	2	5.00	AC17PEEF280
315	365	230	60x40x45	2	7.05	AC17PEEF315
355	415	255	60x40x45	2	10.31	AC17PEEF355
400	470	300	60x60x33	1	14.50	AC17PEEF400
450	530	320	60x60x33	1	20.75	AC17PEEF450
500	590	365	-	-	27.00	AC17PEEF500
560	655	400	-	-	36.50	AC17PEEF560
630	740	420	-	-	50.00	AC17PEEF630
710	840	445	-	-	66.50	AC17PEEF710
800	935	470	-	-	86.30	AC17PEEF800
900	1050	500	-	-	114.00	AC17PEEF900
1000	1175	500	-	-	147.50	AC17PEEF1000
1200	1371	500	-	-	170.50	AC17PEEF1200
1400	1600	550	-	-	225.30	AC17PEEF1400
1600	1829	575	-	-	348.00	AC17PEEF1600
2000	2286	575	-	-	527.00	AC17PEEF2000

03

Coupler



TYPE A



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar



TYPE B




The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Box Sizes	Nos/Box	Kg	Type	Code
20	33	60	30x40x15	125	0.03	A	AC11PEEF20
25	41	71	30x40x15	100	0.04	A	AC11PEEF25
32	48	81	30x40x15	50	0.07	A	AC11PEEF32
40	55	83	30x40x15	40	0.09	A	AC11PEEF40
50	67	98	30x40x15	20	0.13	A	AC11PEEF50
63	80	108	30x40x30	30	0.18	A	AC11PEEF63
75	97	117	30x40x30	24	0.25	A	AC11PEEF75
90	119	130	60x40x30	30	0.40	A	AC11PEEF90
110	142	137	60x40x30	22	0.67	A	AC11PEEF110
125	160	150	60x40x45	16	0.85	A	AC11PEEF125
140	180	158	60x40x45	12	1.06	A	AC11PEEF140
160	198	161	60x40x45	12	1.30	A	AC11PEEF160
180	227	166	60x40x45	8	1.69	A	AC11PEEF180
200	250	200	60x40x30	4	2.50	A	AC11PEEF200
225	277	200	60x40x30	4	3.80	A	AC11PEEF225
250	310	210	60x40x30	2	4.90	A	AC11PEEF250
280	345	220	60x40x45	2	10.46	A	AC11PEEF280
315	390	230	60x40x45	2	12.66	A	AC11PEEF315
355	440	255	60x40x45	2	16.50	A	AC11PEEF355
400	495	300	60x60x33	1	20.29	B	AC11PEEF400
450	554	320	60x60x33	1	25.00	B	AC11PEEF450
500	615	365	-	-	35.00	B	AC11PEEF500
560	690	400	-	-	48.50	B	AC11PEEF560
630	775	420	-	-	63.80	B	AC11PEEF630
710	880	445	-	-	90.00	B	AC11PEEF710
800	995	470	-	-	122.70	B	AC11PEEF800
900	1100	500	-	-	150.00	B	AC11PEEF900
1000	1230	500	-	-	191.30	B	AC11PEEF1000

04 Coupler



TYPE A



- PE 100 Black
- For use Water




SDR 9 : 20 Bar

Water



TYPE B



The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.


d	D	L	Box Sizes	Nos/Box	Kg	Type	Code
63	97	118	30x40x30	24	0.45	A	AC9PEEF63
75	115	150	30x40x30	13	0.60	A	AC9PEEF75
90	142	167	60x40x30	22	1.00	A	AC9PEEF90
110	159	170	60x40x30	16	1.56	A	AC9PEEF110
125	180	170	60x40x45	12	2.30	A	AC9PEEF125
140	200	185	60x40x45	10	3.00	B	AC9PEEF140
160	230	190	60x40x45	8	3.50	B	AC9PEEF160
180	240	190	60x40x45	4	3.60	B	AC9PEEF180
200	280	200	60x40x30	2	5.70	B	AC9PEEF200
225	305	200	60x40x30	2	6.30	B	AC9PEEF225
250	330	220	-	-	7.50	B	AC9PEEF250
280	370	220	-	-	9.50	B	AC9PEEF280
315	415	230	-	-	14.40	B	AC9PEEF315
355	465	255	-	-	17.00	B	AC9PEEF355
400	525	300	-	-	25.70	B	AC9PEEF400
450	590	320	-	-	34.70	B	AC9PEEF450
500	660	365	-	-	50.50	B	AC9PEEF500
560	740	400	-	-	69.80	B	AC9PEEF560
630	830	420	-	-	91.40	B	AC9PEEF630

05

Coupler



TYPE A



- PE 100 Black
- For use Water




SDR 7.4 : 25 Bar

Water



TYPE B



The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.


d	D	L	Box Sizes	Nos/Box	Kg	Type	Code
63	97	118	30x40x30	24	0.45	A	AC7PEEF63
75	115	150	30x40x30	13	0.60	A	AC7PEEF75
90	142	167	60x40x30	20	1.00	A	AC7PEEF90
110	159	172	60x40x45	12	1.56	A	AC7PEEF110
125	180	171	60x40x45	12	2.30	A	AC7PEEF125
140	200	185	60x40x45	10	3.00	B	AC7PEEF140
160	230	190	60x40x45	8	3.50	B	AC7PEEF160
180	248	190	60x40x45	4	4.10	B	AC7PEEF180
200	280	200	60x40x30	2	5.70	B	AC7PEEF200
225	310	200	60x40x30	3	6.70	B	AC7PEEF225
250	347	220	-	-	9.50	B	AC7PEEF250
280	390	220	-	-	12.00	B	AC7PEEF280
315	440	230	-	-	17.50	B	AC7PEEF315
355	490	255	-	-	21.60	B	AC7PEEF355
400	553	300	-	-	32.60	B	AC7PEEF400
450	620	320	-	-	43.40	B	AC7PEEF450
500	690	365	-	-	61.50	B	AC7PEEF500
560	780	400	-	-	87.90	B	AC7PEEF560
630	870	420	-	-	112.70	B	AC7PEEF630

06

Coupler



TYPE A



- PE 100 Black
- For use Water




Water

SDR 6 : 32 Bar



TYPE B




The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Box Sizes	Nos/Box	Kg	Type	Code
63	97	118	30x40x30	24	0.48	A	AC6PEEF63
75	115	150	30x40x30	13	0.85	A	AC6PEEF75
90	142	167	60x40x30	20	1.50	A	AC6PEEF90
110	180	170	60x40x45	12	2.60	A	AC6PEEF110
125	195	161	60x40x45	12	2.70	A	AC6PEEF125
140	220	166	60x40x45	10	3.60	B	AC6PEEF140
160	250	190	60x40x45	8	5.30	B	AC6PEEF160
180	270	190	60x40x45	4	5.80	B	AC6PEEF180
200	305	200	60x40x30	2	8.00	B	AC6PEEF200
225	345	200	60x40x45	3	10.30	B	AC6PEEF225
250	380	220	-	3	13.60	B	AC6PEEF250
280	430	220	-	2	17.70	B	AC6PEEF280
315	480	230	-	2	22.75	B	AC6PEEF315
355	545	255	-	1	33.00	B	AC6PEEF355
400	615	300	-	1	49.00	B	AC6PEEF400
450	685	320	-	1	64.00	B	AC6PEEF450

07

Dost Coupler



- PE 100 Black
- For use Water & Gas




Water

SDR 11 : 16 Bar
SDR 17 : 10 Bar



Gas

SDR 11 : 10 Bar
SDR 17 : 6 Bar




The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D1	L	SDR	Kg	Type	Code
63	80	215	11	0,90	B	ADC11PEEF63
90	112	290	11	1,60	B	ADC11PEEF90
110	145	245	11	2,20	B	ADC11PEEF110
125	155	360	11	3,30	B	ADC11PEEF125
140	173	360	11	3,80	B	ADC11PEEF140
160	197	430	11	5,50	B	ADC11PEEF160
180	223	430	11	7,00	B	ADC11PEEF180
200	248	430	11	8,30	B	ADC11PEEF200
225	277	480	11	11,30	B	ADC11PEEF225
250	310	600	11	19,60	A	ADC11PEEF250
280	345	600	11	22,30	A	ADC11PEEF280
315	395	620	11	30,20	A	ADC11PEEF315
355	440	660	11	37,90	A	ADC11PEEF355
400	495	700	11	49,60	A	ADC11PEEF400
450	555	720	11	62,80	A	ADC11PEEF450
500	620	780	11	86,30	A	ADC11PEEF500
560	695	780	11	108,60	A	ADC11PEEF560
630	780	780	11	134,10	A	ADC11PEEF630
710	870	780	11	168,40	A	ADC11PEEF710
800	990	800	11	209,10	A	ADC11PEEF800
900	1100	820	11	260,60	A	ADC11PEEF900
1000	1180	820	17	247,20	A	ADC17PEEF1000
1200	1370	820	17	278,50	A	ADC17PEEF1200
1400	1600	820	17	370,00	A	ADC17PEEF1400
1600	1830	820	17	486,50	A	ADC17PEEF1600
2000	2250	820	17	637,00	A	ADC17PEEF2000

08

Coupler (Long)



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Box Sizes	Nos/Box	Kg	Code
25	34	108	40x30x15	70	0,07	ACL11PEEF25
32	45	128	40x30x15	35	0,12	ACL11PEEF22
40	51	147	40x30x30	50	0,15	ACL11PEEF40
50	67	162	60x40x30	48	0,28	ACL11PEEF50
63	86	186	60x40x30	36	0,51	ACL11PEEF63
75	95	220	60x40x30	24	0,78	ACL11PEEF75
90	117	255	60x40x30	10	1,33	ACL11PEEF90
110	141	257	60x40x30	8	1,85	ACL11PEEF110
125	156	303	60x40x30	8	2,39	ACL11PEEF125

09

Tapping Tee



TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B



TYPE C




TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
40	20	44	105	40x30x30	25	0,29	A	ATT11PEEF40x20
40	25	44	105	40x30x30	25	0,30	A	ATT11PEEF40x25
40	32	47	105	40x30x30	25	0,31	A	ATT11PEEF40x32
50	20	52	105	40x30x30	20	0,33	A	ATT11PEEF50x20
50	25	54	105	40x30x30	20	0,34	A	ATT11PEEF50x25
50	32	85	105	40x30x30	20	0,35	A	ATT11PEEF50x32
63	20	52	105	40x30x30	15	0,40	A	ATT11PEEF63x20
63	25	54	105	40x30x30	15	0,42	A	ATT11PEEF63x25
63	32	85	105	40x30x30	15	0,42	A	ATT11PEEF63x32
63	40	90	105	40x30x30	15	0,59	A	ATT11PEEF63x40
63	50	105	200	40x30x30	7	1,10	B	ATT11PEEF63x50
63	63	105	200	40x30x30	7	1,20	B	ATT11PEEF63x63
75	20	52	105	40x30x30	12	0,43	A	ATT11PEEF75x20
75	25	54	105	40x30x30	12	0,44	A	ATT11PEEF75x25
75	32	85	105	40x30x30	12	0,44	A	ATT11PEEF75x32
75	40	90	105	40x30x30	12	0,59	A	ATT11PEEF75x40
75	50	105	200	40x30x30	7	1,10	B	ATT11PEEF75x50
75	63	105	200	40x30x30	7	1,20	B	ATT11PEEF75x63
90	20	47	135	60x40x30	12	0,83	A	ATT11PEEF90x20
90	25	52	135	60x40x30	12	0,84	A	ATT11PEEF90x25
90	32	64	135	60x40x30	12	0,85	A	ATT11PEEF90x32
90	40	89	135	60x40x30	12	0,85	A	ATT11PEEF90x40
90	50	100	180	60x40x30	10	1,65	C	ATT11PEEF90x50
90	63	110	180	60x40x30	10	1,69	C	ATT11PEEF90x63
110	20	48	135	60x40x30	10	0,93	A	ATT11PEEF110x20
110	25	55	135	60x40x30	10	0,94	A	ATT11PEEF110x25

10 Tapping Tee



TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B



TYPE C




TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
110	32	68	135	60x40x30	10	0,96	A	ATT11PEEF110x32
110	40	70	135	60x40x30	10	0,98	A	ATT11PEEF110x40
110	50	75	180	60x40x30	8	1,70	A	ATT11PEEF110x50
110	63	75	180	60x40x30	8	1,80	A	ATT11PEEF110x63
125	20	48	135	60x40x30	10	1,32	A	ATT11PEEF125x20
125	25	55	135	60x40x30	10	1,38	A	ATT11PEEF125x25
125	32	68	135	60x40x30	10	1,40	A	ATT11PEEF125x32
125	40	70	135	60x40x30	10	1,45	A	ATT11PEEF125x40
125	50	75	180	60x40x30	8	1,48	A	ATT11PEEF125x50
125	63	75	180	60x40x30	8	1,53	A	ATT11PEEF125x63
140	20	51	135	60x40x30	10	1,30	C	ATT11PEEF140x20
140	25	48	135	60x40x30	10	1,38	C	ATT11PEEF140x25
140	32	83	135	60x40x30	10	1,40	C	ATT11PEEF140x32
140	40	89	135	60x40x30	8	1,45	C	ATT11PEEF140x40
140	50	103	180	60x40x30	8	1,48	C	ATT11PEEF140x50
140	63	110	180	60x40x30	8	1,53	C	ATT11PEEF140x63
160	20	65	135	60x40x30	10	1,30	C	ATT11PEEF160x20
160	25	64	135	60x40x30	10	1,38	C	ATT11PEEF160x25
160	32	87	137	60x40x30	10	1,40	C	ATT11PEEF160x32
160	40	60	136	60x40x30	10	1,45	C	ATT11PEEF160x40
160	50	109	165	60x40x30	8	1,48	C	ATT11PEEF160x50
160	63	108	165	60x40x30	8	1,53	C	ATT11PEEF160x63
180	20	65	135	60x40x30	10	1,30	C	ATT11PEEF160x20
180	25	64	135	60x40x30	10	1,38	C	ATT11PEEF160x25
180	32	87	137	60x40x30	10	1,40	C	ATT11PEEF160x32
180	40	60	136	60x40x30	8	1,45	C	ATT11PEEF160x40

11 Tapping Tee



TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B



TYPE C




TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
180	50	109	165	60x40x30	8	1,48	C	ATT11PEEF180x50
180	63	108	165	60x40x30	8	1,53	C	ATT11PEEF180x63
200	20	65	135	60x40x30	10	1,32	C	ATT11PEEF200x20
200	25	64	135	60x40x30	10	1,38	C	ATT11PEEF200x25
200	32	87	137	60x40x30	10	1,40	C	ATT11PEEF200x32
200	40	60	136	60x40x30	8	1,45	C	ATT11PEEF200x40
200	50	109	165	60x40x30	8	1,48	C	ATT11PEEF200x50
200	63	108	165	60x40x30	8	1,53	C	ATT11PEEF200x63
225	20	65	135	60x40x30	10	1,32	C	ATT11PEEF225x20
225	25	64	135	60x40x30	10	1,38	C	ATT11PEEF225x25
225	32	87	137	60x40x30	10	1,40	C	ATT11PEEF225x32
225	40	60	136	60x40x30	8	1,45	C	ATT11PEEF225x40
225	60	109	165	60x40x30	8	1,48	C	ATT11PEEF225x60
225	63	108	165	60x40x30	8	1,53	C	ATT11PEEF225x63
250	20	65	135	60x40x30	12	1,30	E	ATT11PEEF250x20
250	25	64	135	60x40x30	12	1,38	E	ATT11PEEF250x25
250	32	87	137	60x40x30	12	1,40	E	ATT11PEEF250x32
250	40	60	136	60x40x30	12	1,45	E	ATT11PEEF250x40
250	50	109	165	60x40x30	12	1,48	E	ATT11PEEF250x50
250	63	108	165	60x40x30	12	1,53	E	ATT11PEEF250x63
280	20	65	135	60x40x30	12	1,30	E	ATT11PEEF280x20
280	25	64	135	60x40x30	12	1,35	E	ATT11PEEF280x25
280	32	87	137	60x40x30	12	1,38	E	ATT11PEEF280x32
280	40	60	136	60x40x30	12	1,40	E	ATT11PEEF280x40
280	50	109	165	60x40x30	12	1,48	E	ATT11PEEF280x50
280	63	108	165	60x40x30	12	1,53	E	ATT11PEEF280x63

12 Tapping Tee



TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B




TYPE C



TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
315	20	65	135	60x40x30	12	1,30	E	ATT11PEEF315x20
315	25	64	135	60x40x30	12	1,35	E	ATT11PEEF315x25
315	32	84	137	60x40x30	12	1,38	E	ATT11PEEF315x32
315	40	60	136	60x40x30	12	1,40	E	ATT11PEEF315x40
315	50	109	165	60x40x30	12	1,48	E	ATT11PEEF315x50
315	63	108	165	60x40x30	12	1,53	E	ATT11PEEF315x63
355	20	70	205	60x40x30	12	1,30	E	ATT11PEEF355x20
355	25	80	205	60x40x30	12	1,35	E	ATT11PEEF355x25
355	32	85	205	60x40x30	12	1,38	E	ATT11PEEF355x32
355	40	95	205	60x40x30	12	1,40	E	ATT11PEEF355x40
355	50	105	205	60x40x30	12	1,48	E	ATT11PEEF355x50
355	63	115	205	60x40x30	12	1,53	E	ATT11PEEF355x63

13 Tapping Tee With Brass Outlet


- PE 100 Black
- For use Water & Gas




SDR 11 : 16 Bar

Water

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Code
90	20/25/32	117	210	60x40x30	10	2,15	ATTBO11PEEF90x20
110	20/25/32	117	185	60x40x30	8	2,07	ATTBO11PEEF315x20
125	20/25/32	117	185	60x40x30	8	2,11	ATTBO11PEEF315x20
140	20/25/32	117	175	60x40x30	8	2,30	ATTBO11PEEF315x20
160	20/25/32	117	177	60x40x30	8	2,32	ATTBO11PEEF315x20
180	20/25/32	117	172	60x40x30	8	2,25	ATTBO11PEEF315x20
200	20/25/32	117	172	60x40x30	8	2,26	ATTBO11PEEF355x20
225	20/25/32	117	172	60x40x30	8	2,26	ATTBO11PEEF355x20
250	20/25/32	117	172	60x40x30	10	2,00	ATTBO11PEEF355x20
280	20/25/32	117	210	60x40x30	10	2,00	ATTBO11PEEF355x20
315	20/25/32	117	210	60x40x30	10	2,00	ATTBO11PEEF355x20
355	20/25/32	117	210	60x40x30	10	2,00	ATTBO11PEEF355x20

14 Tapping Tee (VS Type)


TYPE A



TYPE B



TYPE C



TYPE E

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
63	20	50	160	40x30x30	10	0,85	A	ATTVS11PEEF36x20
63	25	50	160	40x30x30	10	0,85	A	ATTVS11PEEF36x25
63	32	75	160	30x40x30	10	0,87	A	ATTVS11PEEF36x32
63	40	75	160	40x30x30	10	0,88	A	ATTVS11PEEF36x40
63	50	93	270	30x40x30	6	2,25	B	ATTVS11PEEF36x50
63	63	93	270	30x40x30	6	2,35	B	ATTVS11PEEF36x63
75	20	58	160	30x40x30	10	0,95	A	ATTVS11PEEF75x20
75	25	58	160	30x40x30	10	0,95	A	ATTVS11PEEF75x25
75	32	58	160	30x40x30	10	1,00	A	ATTVS11PEEF75x32
75	40	58	160	30x40x30	10	1,01	A	ATTVS11PEEF75x40
75	50	93	270	30x40x30	6	2,27	B	ATTVS11PEEF75x50
75	63	93	270	30x40x30	6	2,28	B	ATTVS11PEEF75x63
90	20	40	215	60x40x30	10	1,84	A	ATTVS11PEEF90x20
90	25	50	215	60x40x30	10	1,70	A	ATTVS11PEEF90x25
90	32	75	215	60x40x30	10	1,74	A	ATTVS11PEEF90x32
90	40	82	215	60x40x30	10	1,75	A	ATTVS11PEEF90x40
90	50	85	250	60x40x30	8	2,68	C	ATTVS11PEEF90x50
90	63	85	250	60x40x30	8	2,69	C	ATTVS11PEEF90x63
110	20	40	215	60x40x30	8	1,80	A	ATTVS11PEEF110x20
110	25	57	215	60x40x30	8	1,85	A	ATTVS11PEEF110x25
110	32	71	215	60x40x30	8	1,90	A	ATTVS11PEEF110x32
110	40	72	215	60x40x30	8	1,95	A	ATTVS11PEEF110x40
110	50	75	250	60x40x30	8	2,70	A	ATTVS11PEEF110x50
110	63	75	250	60x40x30	8	2,73	A	ATTVS11PEEF110x63
125	20	71	215	60x40x30	8	2,01	A	ATTVS11PEEF125x20
125	25	72	215	60x40x30	8	2,02	A	ATTVS11PEEF125x25
125	32	71	215	60x40x30	8	2,05	A	ATTVS11PEEF125x32
125	40	72	215	60x40x30	8	2,09	A	ATTVS11PEEF125x40

15 Tapping Tee (VS Type)


TYPE A



TYPE B



TYPE C



TYPE E

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
125	50	77	250	60x40x30	8	2,70	C	ATTVS11PEEF125x50
125	63	65	250	60x40x30	8	2,73	C	ATTVS11PEEF125x63
140	20	71	215	60x40x30	8	2,10	C	ATTVS11PEEF140x20
140	25	72	215	60x40x30	8	2,11	C	ATTVS11PEEF140x25
140	32	71	215	60x40x30	10	2,12	C	ATTVS11PEEF140x32
140	40	72	215	60x40x30	10	2,13	C	ATTVS11PEEF140x40
140	50	75	250	60x40x30	6	2,88	C	ATTVS11PEEF140x50
140	63	75	250	60x40x30	6	2,90	C	ATTVS11PEEF140x63
160	20	40	215	60x40x30	8	2,15	C	ATTVS11PEEF160x20
160	25	50	215	60x40x30	8	2,16	C	ATTVS11PEEF160x25
160	32	67	215	60x40x30	8	2,17	C	ATTVS11PEEF160x32
160	40	67	215	60x40x30	8	2,18	C	ATTVS11PEEF160x40
160	50	75	250	60x40x30	6	2,92	C	ATTVS11PEEF160x50
160	63	75	250	60x40x30	6	2,94	C	ATTVS11PEEF160x63
180	20	40	215	60x40x30	8	2,19	C	ATTVS11PEEF180x20
180	25	50	215	60x40x30	8	2,20	C	ATTVS11PEEF180x25
180	32	74	215	60x40x30	8	2,21	C	ATTVS11PEEF180x32
180	40	74	215	60x40x30	8	2,22	C	ATTVS11PEEF180x40
180	50	74	250	60x40x30	8	2,92	C	ATTVS11PEEF180x50
180	63	74	250	60x40x30	8	2,94	C	ATTVS11PEEF180x63
200	20	40	215	60x40x30	8	2,23	C	ATTVS11PEEF200x20
200	25	50	215	60x40x30	8	2,24	C	ATTVS11PEEF200x25
200	32	75	215	60x40x30	8	2,25	C	ATTVS11PEEF200x32
200	40	75	215	60x40x30	8	2,26	C	ATTVS11PEEF200x40
200	50	75	250	60x40x30	8	2,85	C	ATTVS11PEEF200x50
200	63	75	250	60x40x30	8	2,86	C	ATTVS11PEEF200x63
225	20	40	215	60x40x30	8	2,23	C	ATTVS11PEEF225x20
225	25	50	215	60x40x30	8	2,24	C	ATTVS11PEEF255x25

16 Tapping Tee (VA Type)


TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B




TYPE C



TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
50	20	52	105	40x30x30	15	1,12	A	ATTVA11PEEF50x20
50	25	54	105	40x30x30	15	1,14	A	ATTVA11PEEF50x25
50	32	85	105	40x30x30	15	1,15	A	ATTVA11PEEF50x32
63	20	52	105	40x30x30	12	1,12	A	ATTVA11PEEF63x20
63	25	54	105	40x30x30	10	1,14	A	ATTVA11PEEF63x25
63	32	85	105	40x30x30	10	1,15	A	ATTVA11PEEF63x32
63	40	90	105	40x30x30	10	1,15	A	ATTVA11PEEF63x40
63	50	105	200	40x30x30	7	2,67	B	ATTVA11PEEF63x50
63	63	105	200	40x30x30	7	2,77	B	ATTVA11PEEF63x63
75	20	52	105	40x30x30	10	1,12	A	ATTVA11PEEF75x20
75	25	54	105	40x30x30	10	1,14	A	ATTVA11PEEF75x25
75	32	85	105	40x30x30	10	1,15	A	ATTVA11PEEF75x32
75	40	90	105	40x30x30	10	1,15	A	ATTVA11PEEF75x40
75	50	105	200	40x30x30	7	2,67	B	ATTVA11PEEF75x50
75	63	105	200	40x30x30	7	2,77	B	ATTVA11PEEF75x63
90	20	47	135	60x30x30	10	1,94	A	ATTVA11PEEF90x20
90	25	52	135	60x30x30	10	1,95	A	ATTVA11PEEF90x25
90	32	64	135	60x30x30	10	1,96	A	ATTVA11PEEF90x32
90	40	89	135	60x30x30	10	1,97	A	ATTVA11PEEF90x40
90	50	100	180	60x30x30	8	3,02	A	ATTVA11PEEF90x50
90	63	110	180	60x30x30	8	3,06	A	ATTVA11PEEF90x63
110	20	48	135	60x30x30	8	1,99	A	ATTVA11PEEF110x20
110	25	55	135	60x30x30	8	2,00	A	ATTVA11PEEF110x25
110	32	68	135	60x30x30	8	1,85	A	ATTVA11PEEF110x32
110	40	70	135	60x30x30	8	1,85	A	ATTVA11PEEF110x40
110	50	75	180	60x30x30	8	3,07	A	ATTVA11PEEF110x50

17 Tapping Tee (VA Type)


TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B




TYPE C



TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
110	63	75	180	60x40x30	8	3,07	A	AVTTVA11PEEF110x63
125	20	48	135	60x40x30	8	1,99	A	AVTTVA11PEEF125x20
125	25	55	135	60x40x30	8	2,00	A	AVTTVA11PEEF125x25
125	32	68	135	60x40x30	8	2,03	A	AVTTVA11PEEF125x32
125	40	70	135	60x40x30	8	2,04	A	AVTTVA11PEEF125x40
125	50	75	180	60x40x30	8	3,07	A	AVTTVA11PEEF125x50
125	63	75	180	60x40x30	8	3,07	A	AVTTVA11PEEF125x63
140	20	51	135	60x40x30	8	2,28	C	AVTTVA11PEEF140x20
140	25	48	135	60x40x30	8	2,25	C	AVTTVA11PEEF140x25
140	32	83	135	60x40x30	8	2,24	C	AVTTVA11PEEF140x32
140	40	89	135	60x40x30	8	2,27	C	AVTTVA11PEEF140x40
140	50	103	180	60x40x30	8	3,31	C	AVTTVA11PEEF140x50
140	63	110	180	60x40x30	8	3,39	C	AVTTVA11PEEF140x63
160	20	65	135	60x40x30	8	1,74	C	AVTTVA11PEEF160x20
160	25	64	135	60x40x30	8	1,75	C	AVTTVA11PEEF160x25
160	32	87	137	60x40x30	8	1,76	C	AVTTVA11PEEF160x32
160	40	60	136	60x40x30	8	1,77	C	AVTTVA11PEEF160x40
160	50	109	165	60x40x30	6	2,87	C	AVTTVA11PEEF160x50
160	63	108	165	60x40x30	6	2,87	C	AVTTVA11PEEF160x63
180	20	65	135	60x40x30	8	1,74	C	AVTTVA11PEEF180x20
180	25	64	135	60x40x30	8	1,75	C	AVTTVA11PEEF180x25
180	32	87	137	60x40x30	8	1,76	C	AVTTVA11PEEF180x32
180	40	60	136	60x40x30	8	1,77	C	AVTTVA11PEEF180x40
180	50	109	165	60x40x30	6	2,87	C	AVTTVA11PEEF180x50
180	63	108	165	60x40x30	6	2,87	C	AVTTVA11PEEF180x63
200	20	65	135	60x40x30	8	1,74	C	AVTTVA11PEEF200x20

18 Tapping Tee (VA Type)


TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B




TYPE C



TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
200	25	64	135	60x40x30	8	1,75	C	AVTTVA11PEEF200x25
200	32	87	137	60x40x30	8	1,76	C	AVTTVA11PEEF200x32
200	40	60	136	60x40x30	8	1,77	C	AVTTVA11PEEF200x40
200	50	109	165	60x40x30	6	2,87	C	AVTTVA11PEEF200x50
200	63	108	165	60x40x30	6	2,87	C	AVTTVA11PEEF200x63
225	20	65	135	60x40x30	8	1,74	C	AVTTVA11PEEF225x20
225	25	64	135	60x40x30	8	1,97	C	AVTTVA11PEEF225x25
225	32	87	137	60x40x30	8	2,02	C	AVTTVA11PEEF225x32
225	40	60	136	60x40x30	8	2,01	C	AVTTVA11PEEF225x40
225	50	109	165	60x40x30	6	2,82	C	AVTTVA11PEEF225x50
225	63	108	165	60x40x30	6	2,82	C	AVTTVA11PEEF225x63
250	20	65	135	60x40x30	10	2,26	E	AVTTVA11PEEF250x20
250	25	64	135	60x40x30	10	2,27	E	AVTTVA11PEEF250x25
250	32	87	137	60x40x30	10	2,28	E	AVTTVA11PEEF250x32
250	40	60	136	60x40x30	10	2,42	E	AVTTVA11PEEF250x40
250	50	109	165	60x40x30	10	2,73	E	AVTTVA11PEEF250x50
250	63	108	165	60x40x30	10	2,73	E	AVTTVA11PEEF250x63
280	20	65	135	60x40x30	10	2,26	E	AVTTVA11PEEF280x20
280	25	64	135	60x40x30	10	2,27	E	AVTTVA11PEEF280x25
280	32	87	137	60x40x30	10	2,47	E	AVTTVA11PEEF280x32
280	40	60	136	60x40x30	10	2,48	E	AVTTVA11PEEF280x40
280	50	109	165	60x40x30	8	2,73	E	AVTTVA11PEEF280x50
280	63	108	165	60x40x30	8	2,73	E	AVTTVA11PEEF280x63
315	20	65	135	60x40x30	10	2,26	E	AVTTVA11PEEF315x20
315	25	64	135	60x40x30	10	2,27	E	AVTTVA11PEEF315x25
315	32	87	137	60x40x30	10	2,29	E	AVTTVA11PEEF315x32

19 Tapping Tee (VS Type)


TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B




TYPE C



TYPE E

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Type	Code
315	40	60	136	60x40x30	10	2,3	E	AVTTVA11PEEF315x40
315	50	109	165	60x40x30	88	2,73	E	AVTTVA11PEEF315x50
315	63	108	165	60x40x30	10	2,73	E	AVTTVA11PEEF315x63
355	20	70	205	60x40x30	10	2,80	E	AVTTVA11PEEF355x20
355	25	80	205	60x40x30	10	2,80	E	AVTTVA11PEEF355x25
355	32	85	205	60x40x30	10	2,78	E	AVTTVA11PEEF355x32
355	40	95	205	60x40x30	10	2,86	E	AVTTVA11PEEF355x40
355	50	105	205	60x40x30	8	2,88	E	AVTTVA11PEEF355x50
355	63	115	205	60x40x30	8	2,92	E	AVTTVA11PEEF355x63



- PE 100 Black
- For use Water & Gas



Gas

SDR 11:


OPERATING PRESSURE RANGE 1- 5 BAR		
	Ø 20	Ø 32
Vn	(SC) AT 1 - 5 BAR	(SC) AT 1 - 5 BAR
m3/h	25	100

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	H	Box Sizes	Nos/Box	Kg	Code
40	20	46	105	40x30x30	25	0,29	ATTGS11PEEF40x20
40	32	50	105	40x30x30	25	0,32	ATTGS11PEEF40x32
50	20	54	105	40x30x30	15	0,56	ATTGS11PEEF50x20
50	32	88	105	40x30x30	15	0,60	ATTGS11PEEF50x32
63	20	54	105	40x30x30	15	0,56	ATTGS11PEEF63x20
63	32	88	105	40x30x30	15	0,60	ATTGS11PEEF63x32
75	20	54	105	40x30x30	15	0,56	ATTGS11PEEF75x20
75	32	88	105	40x30x30	15	0,60	ATTGS11PEEF75x32
90	20	49	135	60x40x30	12	0,98	ATTGS11PEEF90x20
90	32	67	135	60x40x30	12	1,01	ATTGS11PEEF90x32
110	20	50	135	60x40x30	10	1,03	ATTGS11PEEF110x20
110	32	71	135	60x40x30	10	1,08	ATTGS11PEEF110x32
125	20	50	135	60x40x30	10	1,03	ATTGS11PEEF125x20
125	32	71	135	60x40x30	10	1,08	ATTGS11PEEF125x32
140	20	53	135	60x40x30	8	1,32	ATTGS11PEEF140x20
140	32	86	135	60x40x30	8	1,29	ATTGS11PEEF140x32
160	20	53	135	60x40x30	10	1,32	ATTGS11PEEF160x20
160	32	86	135	60x40x30	10	1,29	ATTGS11PEEF160x32
180	20	53	135	60x40x30	10	1,32	ATTGS11PEEF180x20
180	32	86	135	60x40x30	10	1,21	ATTGS11PEEF180x32
200	20	53	135	60x40x30	10	1,32	ATTGS11PEEF200x20
200	32	86	135	60x40x30	10	1,21	ATTGS11PEEF200x32
225	20	53	135	60x40x30	10	1,32	ATTGS11PEEF225x20
225	32	86	135	60x40x30	10	1,21	ATTGS11PEEF225x32
250	20	72	198	60x40x30	12	1,32	ATTGS11PEEF250x20
250	32	88	198	60x40x30	12	1,31	ATTGS11PEEF250x32

- Only SDR 17 Pipe For Drilling

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
63	20	52	40x30x30	10	0,41	ATTEEC11PEEF63x20
63	25	54	40x30x30	10	0,42	ATTEEC11PEEF63x25
63	32	85	40x30x30	10	0,43	ATTEEC11PEEF63x32
63	40	90	40x30x30	8	0,44	ATTEEC11PEEF63x40
63	50	105	40x30x30	5	1,30	ATTEEC11PEEF63x50
63	63	105	40x30x30	5	1,31	ATTEEC11PEEF63x63
75	20	52	40x30x30	10	0,45	ATTEEC11PEEF75x20
75	25	54	40x30x30	10	0,46	ATTEEC11PEEF75x25
75	32	85	40x30x30	10	0,47	ATTEEC11PEEF75x32
75	40	90	40x30x30	8	0,48	ATTEEC11PEEF75x40
75	50	105	40x30x30	5	1,30	ATTEEC11PEEF75x50
75	63	105	40x30x30	5	1,31	ATTEEC11PEEF75x63
90	20	52	60x30x30	10	0,85	ATTEEC11PEEF90x20
90	25	54	60x30x30	10	0,86	ATTEEC11PEEF90x25
90	32	85	60x30x30	10	0,87	ATTEEC11PEEF90x32
90	40	90	60x30x30	10	0,88	ATTEEC11PEEF90x40
90	50	100	60x30x30	8	1,79	ATTEEC11PEEF90x50
90	63	110	60x30x30	8	1,80	ATTEEC11PEEF90x63
110	20	52	60x30x30	8	0,86	ATTEEC11PEEF110x20
110	25	54	60x30x30	8	0,87	ATTEEC11PEEF110x25
110	32	85	60x30x30	8	0,88	ATTEEC11PEEF110x32
110	40	90	60x30x30	8	0,89	ATTEEC11PEEF110x40
110	50	100	60x30x30	6	1,70	ATTEEC11PEEF110x50
110	63	110	60x30x30	6	1,80	ATTEEC11PEEF110x63
125	20	52	60x30x30	8	0,86	ATTEEC11PEEF125x20
125	25	54	60x30x30	8	0,87	ATTEEC11PEEF125x25



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
125	32	85	60x40x45	8	0,88	ATTEEC11PEEF125x32
125	40	90	60x40x45	8	0,89	ATTEEC11PEEF125x40
125	50	100	60x40x30	6	1,70	ATTEEC11PEEF125x50
125	63	110	60x40x30	6	1,80	ATTEEC11PEEF125x63
140	20	52	60x40x45	8	1,80	ATTEEC11PEEF140x20
140	25	54	60x40x45	8	1,90	ATTEEC11PEEF140x25
140	32	85	60x40x45	8	1,91	ATTEEC11PEEF140x32
140	40	90	60x40x45	8	1,92	ATTEEC11PEEF140x40
140	50	103	60x40x30	6	1,93	ATTEEC11PEEF140x50
140	63	110	60x40x30	6	1,94	ATTEEC11PEEF140x63
160	20	52	60x40x45	8	1,80	ATTEEC11PEEF160x20
160	25	54	60x40x45	8	1,90	ATTEEC11PEEF160x25
160	32	85	60x40x45	8	1,91	ATTEEC11PEEF160x32
160	40	90	60x40x45	8	1,92	ATTEEC11PEEF160x40
160	50	109	60x40x30	6	1,93	ATTEEC11PEEF160x50
160	63	108	60x40x30	6	1,94	ATTEEC11PEEF160x63
180	20	52	60x40x45	8	1,80	ATTEEC11PEEF180x20
180	25	54	60x40x45	8	1,90	ATTEEC11PEEF180x25
180	32	85	60x40x45	8	1,91	ATTEEC11PEEF180x32
180	40	90	60x40x45	8	1,92	ATTEEC11PEEF180x40
180	50	109	60x40x30	6	1,93	ATTEEC11PEEF180x50
180	63	108	60x40x30	6	1,94	ATTEEC11PEEF180x63
200	20	52	60x40x45	8	1,80	ATTEEC11PEEF200x20
200	25	54	60x40x45	8	1,90	ATTEEC11PEEF200x25
200	32	85	60x40x45	8	1,91	ATTEEC11PEEF200x32
200	40	90	60x40x45	8	1,92	ATTEEC11PEEF200x40
200	50	109	60x40x30	6	1,93	ATTEEC11PEEF200x50

23 Tapping Tee With End Cap



- PE 100 Black
- For use Water & Gas



SDR 11 : 16 Bar

Water




SDR 11 : 10 Bar



Gas

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
200	63	108	60x40x30	6	1,94	ATTEEC11PEEF200x63
225	20	52	60x40x45	8	1,83	ATTEEC11PEEF225x20
225	25	54	60x40x45	8	1,84	ATTEEC11PEEF225x25
225	32	85	60x40x45	8	1,85	ATTEEC11PEEF225x32
225	40	90	60x40x45	8	1,86	ATTEEC11PEEF225x40
225	50	109	60x40x30	6	1,87	ATTEEC11PEEF225x50
225	63	108	60x40x30	6	1,88	ATTEEC11PEEF225x63



- Bigger sizes are available upon request
- After completion of tapping tee installation steps, the following operation are applied respectively.



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar





Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
90	20	40	60x40x30	8	1,43	AROTT11PEEF90x20
90	25	45	60x40x30	8	1,46	AROTT11PEEF90x25
90	32	75	60x40x30	8	1,49	AROTT11PEEF90x32
90	40	75	60x40x30	8	1,52	AROTT11PEEF90x40
90	50	75	60x40x30	6	1,82	AROTT11PEEF90x50
90	63	75	60x40x30	6	1,85	AROTT11PEEF90x63
110	20	40	60x40x30	8	1,53	AROTT11PEEF110x20
110	25	50	60x40x30	8	1,56	AROTT11PEEF110x25
110	32	75	60x40x30	8	1,59	AROTT11PEEF110x32
110	40	75	60x40x30	8	1,62	AROTT11PEEF110x40
110	50	75	60x40x30	6	1,92	AROTT11PEEF110x50
110	63	75	60x40x30	6	1,95	AROTT11PEEF110x63
125	20	40	60x40x30	8	1,53	AROTT11PEEF125x20
125	25	50	60x40x30	8	1,56	AROTT11PEEF125x25
125	32	75	60x40x30	8	1,59	AROTT11PEEF125x32
125	40	75	60x40x30	8	1,62	AROTT11PEEF125x40
125	50	75	60x40x30	6	1,92	AROTT11PEEF125x50
125	63	75	60x40x30	6	1,95	AROTT11PEEF125x63
140	20	40	60x40x30	8	1,95	AROTT11PEEF140x20
140	25	50	60x40x30	8	1,97	AROTT11PEEF140x25
140	32	75	60x40x30	8	2,00	AROTT11PEEF140x32
140	40	75	60x40x30	8	2,03	AROTT11PEEF140x40
140	50	75	60x40x30	6	2,33	AROTT11PEEF140x50
140	63	75	60x40x30	6	2,38	AROTT11PEEF140x63
160	20	40	60x40x30	8	1,95	AROTT11PEEF160x20
160	25	50	60x40x30	8	1,97	AROTT11PEEF160x25



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
160	63	75	60x40x30	8	2,03	AROTT11PEEF160x63
160	50	75	60x40x30	6	2,33	AROTT11PEEF160x50
160	63	75	60x40x30	6	2,38	AROTT11PEEF160x63
180	20	40	60x40x30	8	1,95	AROTT11PEEF180x20
180	25	50	60x40x30	8	1,97	AROTT11PEEF180x20
180	32	75	60x40x30	8	2,00	AROTT11PEEF180x32
180	40	75	60x40x30	8	2,03	AROTT11PEEF180x40
180	50	75	60x40x30	6	2,33	AROTT11PEEF180x50
180	63	75	60x40x30	6	2,38	AROTT11PEEF180x63
200	20	40	60x40x30	8	1,95	AROTT11PEEF200x20
200	25	50	60x40x30	8	1,97	AROTT11PEEF200x25
200	32	75	60x40x30	8	2,00	AROTT11PEEF200x32
200	40	75	60x40x30	8	2,03	AROTT11PEEF200x40
200	50	75	60x40x30	6	2,33	AROTT11PEEF200x50
200	63	75	60x40x30	6	2,38	AROTT11PEEF200x63
225	20	40	60x40x30	8	1,95	AROTT11PEEF225x20
225	25	50	60x40x30	8	1,97	AROTT11PEEF225x25
225	32	75	60x40x30	8	2,00	AROTT11PEEF225x32
225	40	75	60x40x30	8	2,03	AROTT11PEEF225x40
225	50	75	60x40x30	6	2,33	AROTT11PEEF225x50
225	63	75	60x40x30	6	2,38	AROTT11PEEF225x63



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
90	20	70	60x40x30	8	0,76	AROTT11PEEF90x20
90	25	80	60x40x30	8	0,78	AROTT11PEEF90x25
90	32	85	60x40x30	8	0,80	AROTT11PEEF90x32
90	40	95	60x40x30	8	0,84	AROTT11PEEF90x40
90	50	105	60x40x30	6	0,86	AROTT11PEEF90x50
90	63	115	60x40x30	6	0,88	AROTT11PEEF90x63
110	20	70	60x40x30	8	0,86	AROTT11PEEF110x20
110	25	80	60x40x30	8	0,88	AROTT11PEEF110x25
110	32	85	60x40x30	8	0,90	AROTT11PEEF110x32
110	40	95	60x40x30	8	0,94	AROTT11PEEF110x40
110	50	105	60x40x30	6	0,96	AROTT11PEEF110x50
110	63	115	60x40x30	6	0,98	AROTT11PEEF110x63
125	20	70	60x40x30	8	0,86	AROTT11PEEF125x20
125	25	80	60x40x30	8	0,88	AROTT11PEEF125x25
125	32	85	60x40x30	8	0,90	AROTT11PEEF125x32
125	40	95	60x40x30	8	0,94	AROTT11PEEF125x40
125	50	105	60x40x30	6	0,96	AROTT11PEEF125x50
125	63	115	60x40x30	6	0,98	AROTT11PEEF125x63
140	20	70	60x40x30	8	0,91	AROTT11PEEF140x20
140	25	80	60x40x30	8	0,93	AROTT11PEEF140x25
140	32	85	60x40x30	8	0,95	AROTT11PEEF140x32
140	40	95	60x40x30	8	0,99	AROTT11PEEF140x40
140	50	105	60x40x30	6	1,01	AROTT11PEEF140x50
140	63	115	60x40x30	6	1,03	AROTT11PEEF140x63
160	20	70	60x40x30	8	0,91	AROTT11PEEF160x20
160	25	80	60x40x30	8	0,93	AROTT11PEEF160x25



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
160	32	85	60x40x30	8	0,95	AROTT11PEEF160x32
160	40	95	60x40x30	8	0,99	AROTT11PEEF160x40
160	50	105	60x40x30	6	1,01	AROTT11PEEF160x50
160	63	115	60x40x30	6	1,03	AROTT11PEEF160x63
180	20	70	60x40x30	8	0,91	AROTT11PEEF180x20
180	25	80	60x40x30	8	0,93	AROTT11PEEF180x25
180	32	85	60x40x30	8	0,95	AROTT11PEEF180x32
180	40	95	60x40x30	8	0,99	AROTT11PEEF180x40
180	50	105	60x40x30	6	1,01	AROTT11PEEF180x50
180	63	115	60x40x30	6	1,03	AROTT11PEEF180x63
200	20	70	60x40x30	8	0,91	AROTT11PEEF200x20
200	25	80	60x40x30	8	0,93	AROTT11PEEF200x25
200	32	85	60x40x30	8	0,95	AROTT11PEEF200x32
200	40	95	60x40x30	8	0,99	AROTT11PEEF200x40
200	50	105	60x40x30	6	1,01	AROTT11PEEF200x50
200	63	115	60x40x30	6	1,03	AROTT11PEEF200x63
225	20	70	60x40x30	8	0,91	AROTT11PEEF225x20
225	25	80	60x40x30	8	0,93	AROTT11PEEF225x25
225	32	85	60x40x30	8	0,95	AROTT11PEEF225x32
225	40	95	60x40x30	8	0,99	AROTT11PEEF225x40
225	50	105	60x40x30	6	1,01	AROTT11PEEF225x50
225	63	115	60x40x30	6	1,03	AROTT11PEEF225x63



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
63	20	52	30x40x30	10	0,75	AVTTIC11PEEF63x20
63	25	54	30x40x30	10	0,75	AVTTIC11PEEF63x25
63	32	85	30x40x30	10	0,80	AVTTIC11PEEF63x32
63	40	90	30x40x30	10	0,80	AVTTIC11PEEF63x40
75	20	52	30x40x30	10	0,80	AVTTIC11PEEF75x20
75	25	54	30x40x30	10	0,80	AVTTIC11PEEF75x25
75	32	85	30x40x30	10	0,85	AVTTIC11PEEF75x32
75	40	90	30x40x30	10	0,85	AVTTIC11PEEF75x40
90	20	52	60x40x30	8	0,90	AVTTIC11PEEF90x20
90	25	54	60x40x30	8	0,90	AVTTIC11PEEF90x25
90	32	85	60x40x30	8	0,95	AVTTIC11PEEF90x32
90	40	90	60x40x30	8	0,95	AVTTIC11PEEF90x40
110	20	52	60x40x30	8	1,05	AVTTIC11PEEF110x20
110	25	54	60x40x30	8	1,05	AVTTIC11PEEF110x25
110	32	85	60x40x30	8	1,10	AVTTIC11PEEF110x32
110	40	90	60x40x30	8	1,10	AVTTIC11PEEF110x40
125	20	52	60x40x30	8	1,05	AVTTIC11PEEF125x20
125	25	54	60x40x30	8	1,05	AVTTIC11PEEF125x25
125	32	85	60x40x30	8	1,10	AVTTIC11PEEF125x32
125	40	90	60x40x30	8	1,10	AVTTIC11PEEF125x40
140	20	52	60x40x30	8	1,10	AVTTIC11PEEF140x20
140	25	54	60x40x30	8	1,10	AVTTIC11PEEF140x25
140	32	85	60x40x30	8	1,15	AVTTIC11PEEF140x32
140	40	90	60x40x30	8	1,15	AVTTIC11PEEF140x40
160	20	52	60x40x30	8	1,10	AVTTIC11PEEF160x20
160	25	54	60x40x30	8	1,10	AVTTIC11PEEF160x25



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
160	32	85	60x40x30	8	1,15	AVTTIC11PEEF160x32
160	40	90	60x40x30	8	1,15	AVTTIC11PEEF160x40
180	20	52	60x40x30	8	1,10	AVTTIC11PEEF180x20
180	25	54	60x40x30	8	1,10	AVTTIC11PEEF180x25
180	32	85	60x40x30	8	1,15	AVTTIC11PEEF180x32
180	40	90	60x40x30	8	1,15	AVTTIC11PEEF180x40
200	20	52	60x40x30	8	1,10	AVTTIC11PEEF200x20
200	25	54	60x40x30	8	1,10	AVTTIC11PEEF200x25
200	32	85	60x40x30	8	1,15	AVTTIC11PEEF200x32
200	40	90	60x40x30	8	1,15	AVTTIC11PEEF200x40
225	20	52	60x40x30	8	1,10	AVTTIC11PEEF225x20
225	25	54	60x40x30	8	1,10	AVTTIC11PEEF225x25
225	32	85	60x40x30	8	1,15	AVTTIC11PEEF225x32
225	40	90	60x40x30	8	1,15	AVTTIC11PEEF225x40

30 Saddle

- PE 100 Black
- For use Water & Gas



SDR 11 : 16 Bar

Water



SDR 11 : 8 Bar

Gas


The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

A UNIQUE APPLICATION
ON THE WORLD
BIG SIZE EF SADDLE

What's
the best way
to make an outlet
on this pipe?



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
110	75	150	60x40x30	15	0,60	AS11PEEF110x75
110	90	80	60x40x30	15	0,60	AS11PEEF110x90
110	110	80	60x40x30	15	1,05	AS11PEEF110x110
125	75	80	60x40x30	15	0,60	AS11PEEF125x75
125	90	80	60x40x30	15	0,60	AS11PEEF125x90
125	110	125	60x40x30	8	1,05	AS11PEEF125x110
125	125	125	60x40x30	7	1,20	AS11PEEF125x125
140	75	120	60x40x30	15	0,60	AS11PEEF140x75
140	90	80	60x40x30	15	0,60	AS11PEEF140x90
140	110	125	60x40x30	8	1,05	AS11PEEF140x110
140	125	125	60x40x30	7	1,20	AS11PEEF140x125
160	75	120	60x40x30	15	0,60	AS11PEEF160x75
160	90	80	60x40x30	15	0,60	AS11PEEF160x90
160	110	125	60x40x30	8	1,05	AS11PEEF160x110
160	125	125	60x40x30	8	1,20	AS11PEEF160x125
160	140	140	60x40x30	6	1,80	AS11PEEF160x140
160	160	140	60x40x30	5	2,20	AS11PEEF160x160
180	75	120	60x40x30	15	0,60	AS11PEEF180x75
180	90	80	60x40x30	15	0,60	AS11PEEF180x90
180	110	125	60x40x30	8	1,05	AS11PEEF180x110
180	125	125	60x40x30	7	1,20	AS11PEEF180x125
180	140	140	60x40x30	6	1,80	AS11PEEF180x140
180	160	150	60x40x30	5	2,20	AS11PEEF180x160
200	75	120	60x40x30	15	0,60	AS11PEEF200x75
200	90	80	60x40x30	15	0,60	AS11PEEF200x90
200	110	110	60x40x30	8	1,05	AS11PEEF200x110

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
200	125	80	60x40x30	7	1,20	AS11PEEF200x125
200	140	110	60x40x30	6	1,80	AS11PEEF200x140
200	160	140	60x40x30	5	2,20	AS11PEEF200x160
200	180	150	60x40x30	3	2,30	AS11PEEF200x180
225	75	120	60x40x30	15	0,60	AS11PEEF225x75
225	90	80	60x40x30	15	0,60	AS11PEEF225x90
225	110	125	60x40x30	8	1,05	AS11PEEF225x110
225	125	125	60x40x30	7	1,20	AS11PEEF225x125
225	140	140	60x40x30	6	1,80	AS11PEEF225x140
225	160	150	60x40x30	4	2,20	AS11PEEF225x160
225	180	150	60x40x30	4	2,30	AS11PEEF225x180
225	200	170	60x40x30	2	4,80	AS11PEEF225x200
225	225	170	60x40x30	2	4,50	AS11PEEF225x225
250	75	120	60x40x30	15	0,60	AS11PEEF250x75
250	90	80	60x40x30	15	0,60	AS11PEEF250x90
250	110	125	60x40x30	8	1,05	AS11PEEF250x110
250	125	125	60x40x30	7	1,36	AS11PEEF250x125
250	140	140	60x40x30	4	1,80	AS11PEEF250x140
250	160	150	60x40x30	4	2,20	AS11PEEF250x160
250	180	150	60x40x30	4	2,30	AS11PEEF250x180
250	200	170	60x40x30	2	4,80	AS11PEEF250x200
250	225	170	60x40x30	2	4,50	AS11PEEF250x225
250	250	170	60x40x30	2	4,80	AS11PEEF250x250
280	75	120	60x40x30	15	0,60	AS11PEEF280x75
280	90	80	60x40x30	15	0,60	AS11PEEF280x90
280	110	125	60x40x30	8	1,05	AS11PEEF280x110

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
280	125	125	60x40x30	7	1,20	AS11PEEF280x125
280	140	140	60x40x30	6	1,80	AS11PEEF280x140
280	160	150	60x40x30	4	2,20	AS11PEEF280x160
280	180	150	60x40x30	3	2,30	AS11PEEF280x180
280	200	130	60x40x30	2	4,80	AS11PEEF280x200
280	225	150	60x40x30	2	4,50	AS11PEEF280x225
280	250	170	60x40x30	2	4,80	AS11PEEF225x250
315	75	120	60x40x30	15	0,60	AS11PEEF315x75
315	90	80	60x40x30	15	0,60	AS11PEEF315x90
315	110	125	60x40x30	6	1,05	AS11PEEF315x110
315	125	125	60x40x30	6	1,20	AS11PEEF315x125
315	140	140	60x40x30	4	1,80	AS11PEEF315x140
315	160	150	60x40x30	4	2,20	AS11PEEF315x160
315	180	150	60x40x30	3	2,30	AS11PEEF315x180
315	200	170	60x40x30	2	4,80	AS11PEEF315x200
315	225	170	60x40x30	2	4,50	AS11PEEF315x225
315	250	190	60x40x30	2	8,00	AS11PEEF315x250
355	75	120	60x40x30	15	0,60	AS11PEEF355x75
355	90	80	60x40x30	15	0,60	AS11PEEF355x90
355	110	125	60x40x30	6	1,05	AS11PEEF355x110
355	125	125	60x40x30	6	1,20	AS11PEEF355x125
355	140	140	60x40x30	4	1,80	AS11PEEF355x140
355	160	150	60x40x30	4	2,20	AS11PEEF355x160
355	180	150	60x40x30	3	2,30	AS11PEEF355x180
355	200	170	60x40x30	2	4,80	AS11PEEF355x200
355	225	170	60x40x30	2	4,50	AS11PEEF355x225

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
335	250	190	60x40x30	2	8,00	AS11PEEF335xx250
400	75	120	60x40x30	15	0,60	AS11PEEF400x75
400	90	80	60x40x30	15	0,60	AS11PEEF400x90
400	110	125	60x40x30	6	1,05	AS11PEEF400x110
400	125	125	60x40x30	6	1,20	AS11PEEF400x125
400	140	140	60x40x30	4	1,80	AS11PEEF400x140
400	160	150	60x40x30	4	2,20	AS11PEEF400x160
400	180	150	60x40x30	3	2,30	AS11PEEF400x180
400	200	170	60x40x30	2	4,80	AS11PEEF400x200
400	225	170	60x40x30	2	4,50	AS11PEEF400x225
400	250	190	60x40x30	2	8,00	AS11PEEF400x250
450	75	120	60x40x30	15	0,60	AS11PEEF450x75
450	90	80	60x40x30	15	0,60	AS11PEEF450x90
450	110	125	60x40x30	8	1,05	AS11PEEF450x110
450	125	125	60x40x30	7	1,20	AS11PEEF450x125
450	140	140	60x40x30	5	1,80	AS11PEEF450x140
450	160	150	60x40x30	4	2,20	AS11PEEF450x160
450	180	150	60x40x30	3	2,30	AS11PEEF450x180
450	200	170	60x40x30	2	4,80	AS11PEEF450x200
450	225	170	60x40x30	2	4,50	AS11PEEF450x225
450	250	190	60x40x30	2	8,00	AS11PEEF450x250
500	75	120	60x40x30	15	0,60	AS11PEEF500x75
500	90	80	60x40x30	15	0,60	AS11PEEF500x90
500	110	125	60x40x30	8	1,05	AS11PEEF500x110
500	125	125	60x40x30	7	1,20	AS11PEEF500x125
500	140	140	60x40x30	4	1,80	AS11PEEF500x140

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
500	160	150	60x40x30	4	2,20	AS11PEEF500x160
500	180	150	60x40x30	3	2,30	AS11PEEF500x180
500	200	170	60x40x30	2	4,80	AS11PEEF500x200
500	225	170	60x40x30	2	4,50	AS11PEEF500x225
500	250	190	60x40x30	2	8,0	AS11PEEF500x250
560	75	120	60x40x30	15	0,60	AS11PEEF560x75
560	90	80	60x40x30	15	0,60	AS11PEEF560x90
560	110	125	60x40x30	8	1,05	AS11PEEF560x110
560	125	125	60x40x30	7	1,20	AS11PEEF560x125
560	160	140	60x40x30	4	2,20	AS11PEEF560x160
560	180	150	60x40x30	4	2,30	AS11PEEF560x180
560	200	170	60x40x30	2	4,80	AS11PEEF560x200
560	225	170	60x40x30	2	4,50	AS11PEEF560x225
560	250	190	60x40x30	2	8,00	AS11PEEF560x250
630	75	120	60x40x30	15	0,60	AS11PEEF630x75
630	90	80	60x40x30	15	0,60	AS11PEEF630x90
630	110	125	60x40x30	8	1,05	AS11PEEF630x110
630	125	125	60x40x30	7	1,20	AS11PEEF630x125
630	140	140	60x40x30	4	1,80	AS11PEEF630x140
630	160	150	60x40x30	4	2,20	AS11PEEF630x160
630	180	150	60x40x30	3	2,30	AS11PEEF630x180
630	200	170	60x40x30	2	4,80	AS11PEEF630x200
630	225	170	60x40x30	2	4,50	AS11PEEF630x225
630	250	190	60x40x30	2	8,00	AS11PEEF630x250
710	75	120	60x40x30	15	0,60	AS11PEEF710x75
710	90	80	60x40x30	15	0,60	AS11PEEF710x90

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
710	110	125	60x40x30	8	1,05	AS11PEEF710x110
710	125	125	60x40x30	7	1,20	AS11PEEF710x125
710	140	140	60x40x30	4	1,80	AS11PEEF710x140
710	160	150	60x40x30	4	2,20	AS11PEEF710x160
710	180	150	60x40x30	3	2,30	AS11PEEF710x180
710	200	170	60x40x30	2	4,80	AS11PEEF710x200
710	225	170	60x40x30	2	4,50	AS11PEEF710x225
710	250	190	60x40x30	2	8,00	AS11PEEF710x250
800	75	120	60x40x30	15	0,60	AS11PEEF800x75
800	90	80	60x40x30	15	0,60	AS11PEEF800x90
800	110	125	60x40x30	8	1,05	AS11PEEF800x110
800	125	125	60x40x30	7	1,20	AS11PEEF800x125
800	140	140	60x40x30	4	1,80	AS11PEEF800x140
800	160	150	60x40x30	4	2,20	AS11PEEF800x160
800	180	150	60x40x30	3	2,30	AS11PEEF800x180
800	200	170	60x40x30	2	4,80	AS11PEEF800x200
800	225	170	60x40x30	2	4,50	AS11PEEF800x225
800	250	190	60x40x30	2	8,00	AS11PEEF800x250
900	75	120	60x40x30	15	0,60	AS11PEEF900x75
900	90	80	60x40x30	15	0,60	AS11PEEF900x90
900	110	125	60x40x30	8	1,05	AS11PEEF900x110
900	125	125	60x40x30	7	1,20	AS11PEEF900x125
900	140	140	60x40x30	4	1,80	AS11PEEF900x140
900	160	150	60x40x30	4	2,20	AS11PEEF900x160
900	180	150	60x40x30	3	2,30	AS11PEEF900x180
900	200	170	60x40x30	2	4,80	AS11PEEF900x200

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
900	225	170	60x40x30	2	4,50	AS11PEEF900x225
900	250	180	60x40x30	2	8,00	AS11PEEF900x250
1000	75	120	60x40x30	15	0,60	AS11PEEF1000x75
1000	90	80	60x40x30	15	0,60	AS11PEEF1000x90
1000	110	125	60x40x30	8	1,05	AS11PEEF1000x110
1000	125	125	60x40x30	7	1,20	AS11PEEF1000x125
1000	140	140	60x40x30	4	1,80	AS11PEEF1000x140
1000	160	150	60x40x30	4	2,20	AS11PEEF1000x160
1000	180	150	60x40x30	3	2,30	AS11PEEF1000x180
1000	200	170	60x40x30	2	4,80	AS11PEEF1000x200
1000	225	170	60x40x30	2	4,50	AS11PEEF1000x225
1000	250	190	60x40x30	21	8,00	AS11PEEF1000x250
1200	75	120	60x40x30	15	0,60	AS11PEEF1200x75
1200	90	80	60x40x30	15	0,60	AS11PEEF1200x90
1200	110	125	60x40x30	6	1,05	AS11PEEF1200x110
1200	125	125	60x40x30	6	1,20	AS11PEEF1200x125
1200	140	140	60x40x30	4	1,80	AS11PEEF1200x140
1200	160	150	60x40x30	4	2,20	AS11PEEF1200x160
1200	180	150	60x40x30	3	2,30	AS11PEEF1200x180
1200	200	170	60x40x30	2	4,80	AS11PEEF1200x200
1200	225	170	60x40x30	2	4,50	AS11PEEF1200x225
1200	250	190	60x40x30	2	8,00	AS11PEEF1200x250
1400	75	120	60x40x30	15	0,60	AS11PEEF1400x75
1400	90	80	60x40x30	15	0,60	AS11PEEF1400x90
1400	110	125	60x40x30	8	1,05	AS11PEEF1400x110
1400	125	125	60x40x30	7	1,20	AS11PEEF1400x125

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 8 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
1400	140	140	60x40x30	4	1,80	AS11PEEF1400x140
1400	160	150	60x40x30	4	2,20	AS11PEEF1400x160
1400	180	150	60x40x30	3	2,30	AS11PEEF1400x180
1400	200	170	60x40x30	2	6,40	AS11PEEF1400x200
1400	225	170	60x40x30	2	4,80	AS11PEEF1400x225
1400	250	190	60x40x30	2	6,00	AS11PEEF1400x250
1600	75	120	60x40x30	15	0,60	AS11PEEF1600x75
1600	90	80	60x40x30	15	0,60	AS11PEEF1600x90
1600	110	125	60x40x30	8	1,05	AS11PEEF1600x110
1600	125	125	60x40x30	7	1,20	AS11PEEF1600x125
1600	140	140	60x40x30	4	1,80	AS11PEEF1600x140
1600	160	150	60x40x30	4	2,20	AS11PEEF1600x160
1600	180	150	60x40x30	3	2,30	AS11PEEF1600x180
1600	200	170	60x40x30	2	6,40	AS11PEEF1600x200
1600	225	170	60x40x30	2	4,80	AS11PEEF1600x225
1600	250	190	60x40x30	2	6,00	AS11PEEF1600x250

- PE 100 Black
- For use Water & Gas



Water

SDR 17 : 10 Bar



Gas

SDR 17 : 4 Bar


The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
315	280	170	60x60x50	1	8,50	AS17PEEF315x280
355	280	170	60x60x50	1	8,50	AS17PEEF335x280
400	280	170	60x60x50	1	8,50	AS17PEEF400x280
400	315	170	60x60x50	1	12,80	AS17PEEF400x315
400	355	170	60x60x50	1	15,00	AS17PEEF400x355
450	280	170	60x60x50	1	8,50	AS17PEEF450x280
450	315	170	60x60x50	1	12,80	AS17PEEF450x315
500	280	170	60x60x50	1	8,50	AS17PEEF500x280
500	315	170	60x60x50	1	12,80	AS17PEEF500x315
500	355	170	60x60x50	1	15,00	AS17PEEF500x355
560	280	170	60x60x50	1	8,50	AS17PEEF560x280
560	315	170	60x60x50	1	12,80	AS17PEEF560x315
560	355	170	60x60x50	1	15,00	AS17PEEF560x355
560	400	215	60x80x50	1	42,00	AS17PEEF560x400
560	450	215	60x80x50	1	42,00	AS17PEEF560x450
630	280	170	60x60x50	1	8,50	AS17PEEF630x280
630	350	170	60x60x50	1	12,80	AS17PEEF630x350
630	355	170	60x60x50	1	15,00	AS17PEEF630x355
630	400	215	80x80x50	1	42,00	AS17PEEF630x400
630	450	215	80x80x50	1	42,00	AS17PEEF630x450
630	500	215	80x80x50	1	42,00	AS17PEEF630x500
710	280	170	60x60x50	1	8,50	AS17PEEF710x280
710	315	170	60x60x50	1	12,80	AS17PEEF710x315
710	355	170	60x60x50	1	15,00	AS17PEEF710x355
710	400	215	80x80x50	1	42,00	AS17PEEF710x400
710	450	215	80x80x50	1	42,00	AS17PEEF710x450

40

Saddle

- PE 100 Black
- For use Water & Gas



SDR 17 : 10 Bar

Water




SDR 17 : 4 Bar

Gas

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
710	500	215	80x80x50	1	42,00	AS17PEEF710x500
800	280	170	60x60x50	1	8,50	AS17PEEF800x280
800	315	170	60x60x50	1	12,80	AS17PEEF800x315
800	355	170	60x60x50	1	15,00	AS17PEEF800x355
800	400	215	80x80x50	1	42,00	AS17PEEF800x400
800	450	215	80x80x50	1	42,00	AS17PEEF800x450
800	500	215	80x80x50	1	42,00	AS17PEEF800x500
900	280	170	60x60x50	1	8,50	AS17PEEF900x280
900	315	170	60x60x50	1	12,80	AS17PEEF900x315
900	355	170	60x60x50	1	14,00	AS17PEEF900x355
900	400	215	80x80x50	1	42,00	AS17PEEF900x400
900	450	215	80x80x50	1	42,00	AS17PEEF900x450
900	500	215	80x80x50	1	42,00	AS17PEEF900x500
1000	280	170	60x60x50	1	8,50	AS17PEEF1000x280
1000	315	170	60x60x50	1	12,80	AS17PEEF1000x315
1000	355	170	60x60x50	1	14,00	AS17PEEF1000x355
1000	400	215	80x80x50	1	42,00	AS17PEEF1000x400
1000	450	215	80x80x50	1	42,00	AS17PEEF1000x450
1000	500	215	80x80x50	1	42,00	AS17PEEF1000x500
1200	280	170	60x60x50	1	8,50	AS17PEEF1200x280
1200	315	170	60x60x50	1	12,80	AS17PEEF1200x315
1200	355	170	60x60x50	1	14,00	AS17PEEF1200x355
1200	400	215	80x80x50	1	42,00	AS17PEEF1200x400
1200	450	215	80x80x50	1	42,00	AS17PEEF1200x450
1200	500	215	80x80x50	1	42,00	AS17PEEF1200x500
1400	280	170	60x60x50	1	8,50	AS17PEEF1400x280

- PE 100 Black
- For use Water & Gas



Water

SDR 17 : 10 Bar



Gas


SDR 17 : 4 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Code
1400	315	170	60x60x50	1	12,80	AS17PEEF1400x315
1400	355	170	60x60x50	1	14,00	AS17PEEF1400x355
1400	400	215	80x80x50	1	42,00	AS17PEEF1400x400
1400	450	215	80x80x50	1	42,00	AS17PEEF1400x450
1400	500	215	80x80x50	1	42,00	AS17PEEF1400x500
1600	280	170	60x60x50	1	8,50	AS17PEEF1600x280
1600	315	170	60x60x50	1	12,80	AS17PEEF1600x315
1600	355	170	60x60x50	1	14,00	AS17PEEF1600x355
1600	400	215	80x80x50	1	42,00	AS17PEEF1600x400
1600	450	215	80x80x50	1	42,00	AS17PEEF1600x450
1600	500	215	80x80x50	1	42,00	AS17PEEF1600x500

42

Saddle



TYPE A



TYPE B



TYPE C

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	H	Box Sizes	Nos/Box	Kg	Type	Code
40	20	75	40x30x30	35	0,18	A	AS11PEEF40x20
40	25	75	40x30x30	35	0,19	A	AS11PEEF40x25
40	32	75	40x30x30	35	0,20	A	AS11PEEF40x32
50	20	77	40x30x30	24	0,34	A	AS11PEEF50x20
50	25	77	30x30x30	24	0,35	A	AS11PEEF50x25
50	32	77	30x30x30	24	0,38	A	AS11PEEF50x32
50	40	77	40x30x30	20	0,39	A	AS11PEEF50x40
63	20	77	40x30x30	20	0,35	A	AS11PEEF63x20
63	25	77	40x30x30	20	0,36	A	AS11PEEF63x25
63	32	77	40x30x30	20	0,39	A	AS11PEEF63x32
63	40	77	30x40x30	20	0,40	A	AS11PEEF63x40
63	50	125	30x40x30	20	0,75	A	AS11PEEF63x50
63	63	125	40x30x30	7	0,80	A	AS11PEEF63x63
75	20	77	40x30x30	20	0,36	A	AS11PEEF75x20
75	25	77	40x30x30	20	0,37	A	AS11PEEF75x25
75	32	77	40x30x30	20	0,39	A	AS11PEEF75x32
75	40	77	30x40x30	20	0,41	A	AS11PEEF75x40
75	50	125	40x30x30	15	0,45	A	AS11PEEF75x50
75	63	125	40x30x30	15	0,49	A	AS11PEEF75x63
90	20	95	60x40x30	18	0,66	A	AS11PEEF90x20
90	25	95	60x40x30	18	0,68	A	AS11PEEF90x25
90	32	95	60x40x30	18	0,69	A	AS11PEEF90x32
90	40	95	60x40x30	18	0,70	A	AS11PEEF90x40
90	50	135	60x40x30	18	0,71	B	AS11PEEF90x50
90	63	135	60x40x30	12	0,72	B	AS11PEEF90x63

43

Saddle



TYPE A



TYPE B



TYPE C

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	H	Box Sizes	Nos/Box	Kg	Type	Code
110	20	95	60x40x30	15	0,73	A	AS11PEEF110x20
110	25	95	60x40x30	15	0,74	A	AS11PEEF110x25
110	32	95	60x40x30	15	0,75	A	AS11PEEF110x32
110	40	95	60x40x30	15	0,76	A	AS11PEEF110x40
110	50	110	60x40x30	15	0,77	A	AS11PEEF110x50
110	63	110	60x40x30	12	0,78	A	AS11PEEF110x63
125	20	95	60x40x30	12	0,75	A	AS11PEEF125x20
125	25	95	60x40x30	12	0,75	A	AS11PEEF125x25
125	32	95	60x40x30	12	0,76	A	AS11PEEF125x32
125	40	95	60x40x30	12	0,78	A	AS11PEEF125x40
125	50	110	60x40x30	12	0,79	A	AS11PEEF125x50
125	63	110	60x40x30	12	0,80	A	AS11PEEF125x63
140	20	95	60x40x30	10	0,92	B	AS11PEEF140x20
140	25	95	60x40x30	10	0,93	B	AS11PEEF140x25
140	32	95	60x40x30	10	0,93	B	AS11PEEF140x32
140	40	95	60x40x30	10	0,94	B	AS11PEEF140x40
140	50	110	60x40x30	10	0,95	B	AS11PEEF140x50
140	63	110	60x40x30	10	0,96	B	AS11PEEF140x63
160	20	95	60x40x30	12	0,93	B	AS11PEEF160x20
160	25	95	60x40x30	12	0,94	B	AS11PEEF160x25
160	32	95	60x40x30	15	0,95	B	AS11PEEF160x32
160	40	95	60x40x30	12	0,96	B	AS11PEEF160x40
160	50	110	60x40x30	12	0,99	B	AS11PEEF160x50
160	63	110	60x40x30	12	1,00	B	AS11PEEF160x63
180	20	95	60x40x30	12	0,93	B	AS11PEEF180x20

44

Saddle



TYPE A



TYPE B



TYPE C

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	H	Box Sizes	Nos/Box	Kg	Type	Code
180	25	95	60x40x30	12	0,95	B	AS11PEEF180x25
180	32	95	60x40x30	12	0,96	B	AS11PEEF180x32
180	40	95	60x40x30	12	0,97	B	AS11PEEF180x40
180	50	110	60x40x30	12	1,00	B	AS11PEEF180x50
180	63	110	60x40x30	12	1,01	B	AS11PEEF180x63
200	20	95	60x40x30	12	0,89	B	AS11PEEF200x20
200	25	95	60x40x30	12	0,90	B	AS11PEEF200x25
200	32	95	60x40x30	15	0,91	B	AS11PEEF200x32
200	40	95	60x40x30	12	0,92	B	AS11PEEF200x40
200	50	110	60x40x30	12	0,93	B	AS11PEEF200x50
200	63	110	60x40x30	12	0,94	B	AS11PEEF200x63
225	20	95	60x40x30	12	0,90	B	AS11PEEF225x20
225	25	95	60x40x30	12	0,91	B	AS11PEEF225x25
225	32	95	60x40x30	12	0,92	B	AS11PEEF225x32
225	40	95	60x40x30	12	0,93	B	AS11PEEF225x40
225	50	110	60x40x30	12	0,94	B	AS11PEEF225x50
225	63	110	60x40x30	12	0,95	B	AS11PEEF225x63
250	20	100	60x40x30	20	0,54	C	AS11PEEF250x20
250	25	100	60x40x30	20	0,50	C	AS11PEEF250x25
250	32	130	60x40x30	20	0,51	C	AS11PEEF250x32
250	40	110	60x40x30	20	0,52	C	AS11PEEF250x40
250	50	130	60x40x30	20	0,58	C	AS11PEEF250x50
250	63	125	60x40x30	20	0,58	C	AS11PEEF250x63
280	20	100	60x40x30	20	0,49	C	AS11PEEF280x20
280	25	100	60x40x30	20	0,50	C	AS11PEEF280x25

45 Saddle


TYPE A



TYPE B



TYPE C

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	H	Box Sizes	Nos/Box	Kg	Type	Code
280	32	130	60x40x30	20	0,51	C	AS11PEEF280x32
280	40	110	60x40x30	20	0,52	C	AS11PEEF280x40
280	50	130	60x40x30	20	0,58	C	AS11PEEF280x50
280	63	125	60x40x30	20	0,58	C	AS11PEEF280x63
315	20	110	60x40x30	20	0,51	C	AS11PEEF315x20
315	25	110	60x40x30	20	0,47	C	AS11PEEF315x25
315	32	140	60x40x30	20	0,48	C	AS11PEEF315x32
315	40	115	60x40x30	20	0,49	C	AS11PEEF315x40
315	50	140	60x40x30	20	0,55	C	AS11PEEF315x50
315	63	130	60x40x30	20	0,55	C	AS11PEEF315x63
355	20	110	60x40x30	20	0,46	C	AS11PEEF355x20
355	25	110	60x40x30	20	0,47	C	AS11PEEF355x25
355	32	140	60x40x30	20	0,48	C	AS11PEEF355x32
355	40	115	60x40x30	20	0,49	C	AS11PEEF355x40
355	50	140	60x40x30	20	0,55	C	AS11PEEF355x50
355	63	130	60x40x30	20	0,55	C	AS11PEEF355x63
400	20	110	60x40x30	20	0,48	C	AS11PEEF400x20
400	25	110	60x40x30	20	0,44	C	AS11PEEF400x25
400	32	140	60x40x30	20	0,45	C	AS11PEEF400x32
400	40	115	60x40x30	20	0,46	C	AS11PEEF400x40
400	50	140	60x40x30	20	0,52	C	AS11PEEF400x50
400	63	130	60x40x30	20	0,52	C	AS11PEEF400x63
450	20	110	60x40x30	20	0,43	C	AS11PEEF450x20
450	25	110	60x40x30	20	0,44	C	AS11PEEF450x25
450	32	140	60x40x30	20	0,45	C	AS11PEEF450x32

46 Saddle



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	H	Box Sizes	Nos/Box	Kg	Type	Code
450	40	115	60x40x30	20	0,46	C	AS11PEEF450x40
450	50	140	60x40x30	20	0,52	C	AS11PEEF450x50
450	63	130	60x40x30	20	0,52	C	AS11PEEF450x63

47

Saddle



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 10 Bar



Gas

SDR 11 : 10 Bar




TYPE A



TYPE B

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	Kg	Type	Code
63	1,44	A	ASSS11PEEF63
90	2,73	A	ASSS11PEEF90
110	3,72	A	ASSS11PEEF110
125	4,45	A	ASSS11PEEF125
160	17,73	B	ASSS11PEEF160
180	19,00	B	ASSS11PEEF180
200	25,00	B	ASSS11PEEF200
225	29,00	B	ASSS11PEEF225
250	36,00	B	ASSS11PEEF250
280	50,00	B	ASSS11PEEF280
315	58,00	B	ASSS11PEEF315
400	65,00	B	ASSS11PEEF400

48 Ballon - Saddle


- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	Kg	Code
75	2 1/2"	2,25	ABS11PEEF75
90	2 1/2"	2,24	ABS11PEEF90
110	2 1/2"	2,22	ABS11PEEF110
125	2 1/2"	2,22	ABS11PEEF125
140	2 1/2"	2,22	ABS11PEEF140
160	2 1/2"	2,21	ABS11PEEF160
180	2 1/2"	2,21	ABS11PEEF180
200	2 1/2"	2,20	ABS11PEEF200
225	2 1/2"	2,20	ABS11PEEF225
250	2 1/2"	2,19	ABS11PEEF250
280	2 1/2"	2,19	ABS11PEEF280
318	2 1/2"	2,18	ABS11PEEF318
355	2 1/2"	2,18	ABS11PEEF355
400	2 1/2"	2,18	ABS11PEEF400

49 Big Size Saddle


- PE 100 Black
- For use Water



SDR 26 : 6 Bar

Water


The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.



D	d	Code
630	560	ABSS26PEEF630x560
710	560	ABSS26PEEF710x560
710	630	ABSS26PEEF710x630
800	560	ABSS26PEEF800x560
800	630	ABSS26PEEF800x630
800	710	ABSS26PEEF800x710
900	560	ABSS26PEEF800x560
900	630	ABSS26PEEF800x630
900	710	ABSS26PEEF800x710
900	800	ABSS26PEEF800x800
1000	560	ABSS26PEEF1000x560
1000	630	ABSS26PEEF1000x630
1000	710	ABSS26PEEF1000x710
1000	800	ABSS26PEEF1000x800
1000	900	ABSS26PEEF1000x900
1200	560	ABSS26PEEF1200x560
1200	630	ABSS26PEEF1200x630
1200	710	ABSS26PEEF1200x710
1200	800	ABSS26PEEF1200x800
1200	900	ABSS26PEEF1200x900
1200	1000	ABSS26PEEF1200x1000
1400	560	ABSS26PEEF1400x560
1400	630	ABSS26PEEF1400x630
1400	710	ABSS26PEEF1400x710
1400	800	ABSS26PEEF1400x800
1400	900	ABSS26PEEF1400x900
1400	1000	ABSS26PEEF1400x1000
1400	1200	ABSS26PEEF1400x1200
1600	560	ABSS26PEEF1600x560
1600	630	ABSS26PEEF1600x630
1600	710	ABSS26PEEF1600x710
1600	800	ABSS26PEEF1600x800
1600	900	ABSS26PEEF1600x900
1600	1000	ABSS26PEEF1600x1000
1600	1200	ABSS26PEEF1600x1200
1600	1400	ABSS26PEEF1600x1400
2000	1000	ABSS26PEEF2000x1000
2000	1200	ABSS26PEEF2000x1200
2000	1600	ABSS26PEEF2000x1600

50

Repair Saddle



TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE B




TYPE C

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	Box Sizes	Nos/Box	Kg	Type	Code
63	31	40x30x30	30	0,38	A	ARS11PEEF63x31
75	31	40x30x30	30	0,39	A	ARS11PEEF75x31
90	38	60x40x30	24	0,73	A	ARS11PEEF90x38
110	37	60x40x30	24	0,73	A	ARS11PEEF110x37
125	37	60x40x30	24	0,73	A	ARS11PEEF125x37
140	37	60x40x30	18	0,95	B	ARS11PEEF140x37
160	46	60x40x30	18	0,96	B	ARS11PEEF160x46
180	46	60x40x30	18	0,97	B	ARS11PEEF180x46
200	46	60x40x30	18	0,97	B	ARS11PEEF200x46
225	46	60x40x30	18	0,97	B	ARS11PEEF225x46
250	44	60x40x30	24	0,64	C	ARS11PEEF250x44
280	44	60x40x30	24	0,64	C	ARS11PEEF280x44
315	44	60x40x30	24	0,65	C	ARS11PEEF315x44
355	44	60x40x30	24	0,65	C	ARS11PEEF355x44
400	44	60x40x30	24	0,68	C	ARS11PEEF400x44
450	44	60x40x30	24	0,68	C	ARS11PEEF450x44
500	44	60x40x30	24	0,68	C	ARS11PEEF500x44
560	44	60x40x30	24	0,68	C	ARS11PEEF560x44
630	44	60x40x30	24	0,68	C	ARS11PEEF630x44
710	44	60x40x30	24	0,68	C	ARS11PEEF710x44
800	44	60x40x30	24	0,68	C	ARS11PEEF800x44
900	44	60x40x30	24	0,68	C	ARS11PEEF900x44

51

Big Size Repair Saddle



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.


D	d (max. Closing hole diameter)	L	Nos/Box	Box Sizes	Kg	Code
110	80	150	24	40x30x30	0,60	ABSRS11PEEF110
125	80	180	18	40x30x30	0,60	ABSRS11PEEF125
140	120	200	12	60x40x30	0,60	ABSRS11PEEF140
160	120	200	12	60x40x30	0,60	ABSRS11PEEF160
180	150	255	6	60x40x30	0,60	ABSRS11PEEF180
200	150	255	6	60x40x30	1,80	ABSRS11PEEF200
225	190	305	4	60x40x30	1,80	ABSRS11PEEF225
250	190	305	4	60x40x30	1,80	ABSRS11PEEF250
280	230	360	4	60x40x30	6,40	ABSRS11PEEF280
315	230	360	4	60x40x30	6,00	ABSRS11PEEF315
355	230	360	4	60x40x30	5,60	ABSRS11PEEF355
400	230	360	4	60x40x30	5,70	ABSRS11PEEF400
450	230	360	4	60x40x30	5,90	ABSRS11PEEF450
500	230	360	4	60x40x30	5,70	ABSRS11PEEF500
560	230	360	4	60x40x30	5,50	ABSRS11PEEF560
630	230	360	4	60x40x30	6,90	ABSRS11PEEF630
710	230	360	4	60x40x30	7,30	ABSRS11PEEF710
800	230	360	4	60x40x30	7,40	ABSRS11PEEF800
900	230	360	4	60x40x30	7,60	ABSRS11PEEF900
1000	230	360	4	60x40x30	7,50	ABSRS11PEEF1000
1200	230	360	4	60x40x30	7,40	ABSRS11PEEF1200
1400	230	360	4	60x40x30	7,30	ABSRS11PEEF1400
1600	230	360	4	60x40x30	7,30	ABSRS11PEEF1600

- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.




- If the pipe coats with any other polymer than PE 100
- if the outer surface of the pipe has not a smooth surface (cor-rufared pipe)
- if the outside of the pipe is not suitable for welding because of some reason



53

Equal Tee



TYPE A



TYPE B



TYPE C

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
25	108	37	40x30x15	50	0,07	A	AET11PEEF25
32	128	41	40x30x15	25	0,15	A	AET11PEEF32
40	147	49	40x30x30	35	0,22	A	AET11PEEF40
50	162	49	60x40x30	40	0,31	A	AET11PEEF50
63	186	61	60x40x30	25	0,57	A	AET11PEEF63
75	220	63	60x40x30	13	0,87	A	AET11PEEF75
90	255	74	60x40x30	9	1,48	A	AET11PEEF90
110	257	79	60x40x30	6	2,05	A	AET11PEEF110
125	303	78	60x40x30	4	2,66	A	AET11PEEF125
160	339	125	60x40x45	3	5,16	B	AET11PEEF160
180	395	130	60x40x45	3	8,90	B	AET11PEEF180
200	395	130	60x40x30	1	10,10	B	AET11PEEF200
225	680	110	-	1	17,80	B	AET11PEEF225
250	810	140	-	1	30,75	C	AET11PEEF250
280	800	185	-	1	36,40	C	AET11PEEF280
315	910	270	-	1	45,20	C	AET11PEEF315

54 Reduced Tee


TYPE A

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar




TYPE B

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d1	d2	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
32	20	128	41	30x40x15	25	0,11	A	ART11PEEF32x20
32	25	128	41	30x40x15	25	0,11	A	ART11PEEF32x25
50	32	162	49	60x40x30	25	0,27	A	ART11PEEF50x32
63	32	186	61	60x40x30	25	0,50	A	ART11PEEF63x32
63	40	186	61	60x40x30	25	0,52	A	ART11PEEF63x40
63	50	220	61	60x40x30	25	0,56	A	ART11PEEF63x50
75	63	225	63	60x40x30	13	0,80	A	ART11PEEF75x63
90	63	225	74	60x40x30	10	1,30	A	ART11PEEF90x63
90	75	257	74	60x40x30	9	1,78	A	ART11PEEF90x75
110	63	257	79	60x40x45	5	2,33	A	ART11PEEF110x63
110	75	257	79	60x40x45	8	2,71	A	ART11PEEF110x75
110	90	303	79	60x40x30	6	1,95	A	ART11PEEF110x90
125	63	303	79	60x40x30	4	2,31	A	ART11PEEF125x63
125	75	303	79	60x40x30	4	2,41	A	ART11PEEF125x75
125	90	303	79	60x40x30	4	2,45	A	ART11PEEF125x90
125	110	315	79	60x40x30	4	2,50	A	ART11PEEF125x110
160	90	315	90	60x40x45	3	4,09	B	ART11PEEF160x60
160	110	315	90	60x40x45	3	4,09	B	ART11PEEF160x110
160	125	315	90	60x40x45	3	4,09	B	ART11PEEF160x125
160	140	390	110	60x40x45	3	4,10	B	ART11PEEF160x140
180	90	390	130	60x40x45	3	5,50	B	ART11PEEF180x90
180	110	390	130	60x40x45	3	5,85	B	ART11PEEF180x110
180	125	390	130	60x40x45	3	5,95	B	ART11PEEF180x125
180	140	390	130	60x40x45	3	6,00	B	ART11PEEF180x140
180	160	390	130	60x40x45	3	6,09	B	ART11PEEF180x160
200	90	390	90	60x40x30	1	6,11	B	ART11PEEF200x90

55 Reduced Tee



TYPE A



TYPE B

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d1	d2	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
200	110	390	110	60x40x30	1	6,14	B	ART11PEEF200x110
200	140	390	110	60x40x30	1	6,58	B	ART11PEEF200x140
200	160	390	140	60x40x30	1	6,87	B	ART11PEEF200x160
200	180	390	150	60x40x30	1	6,97	B	ART11PEEF200x180

56

Reducer



- PE 100 Black
- For use Water & Gas



SDR 11 : 16 Bar

Water



SDR 11 : 10 Bar

Gas




TYPE A



TYPE B

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d1	d2	L	Box Sizes	Nos/Box	Kg	Type	Code
25	20	72	40x30x15	100	0,04	A	AR11PEEF20x25
32	20	90	40x30x15	60	0,04	A	AR11PEEF32x20
32	25	90	40x30x15	60	0,05	A	AR11PEEF32x25
40	32	117	40x30x30	70	0,09	A	AR11PEEF40x32
50	32	131	40x30x30	45	0,15	A	AR11PEEF50x32
50	40	130	40x30x30	45	0,15	A	AR11PEEF50x40
63	32	142	40x30x30	35	0,22	A	AR11PEEF63x32
63	40	139	40x30x30	35	0,24	A	AR11PEEF63x40
63	50	152	40x30x30	30	0,26	A	AR11PEEF63x50
75	63	173	60x40x30	35	0,41	A	AR11PEEF75x63
90	63	190	60x40x30	30	0,58	A	AR11PEEF90x63
90	75	215	60x40x45	24	0,55	A	AR11PEEF90x75
110	63	209	60x40x45	25	0,88	A	AR11PEEF110x63
110	75	215	60x40x45	24	0,95	A	AR11PEEF110x75
110	90	215	60x40x45	24	1,09	A	AR11PEEF110x90
125	63	223	60x40x45	15	1,33	A	AR11PEEF125x63
125	90	222	60x40x45	15	1,80	A	AR11PEEF125x90
125	110	223	60x40x45	15	1,50	A	AR11PEEF125x110
160	90	203	60x40x45	6	2,00	B	AR11PEEF160x90
160	110	203	60x40x45	6	2,11	B	AR11PEEF160x110
160	125	203	60x40x45	6	2,30	B	AR11PEEF160x125
180	125	203	60x40x30	3	2,80	B	AR11PEEF180x125
200	110	213	60x40x30	3	2,80	B	AR11PEEF200x110
200	160	213	60x40x30	3	3,00	B	AR11PEEF200x160
225	200	240	60x40x30	2	6,30	B	AR11PEEF225x200
250	200	240	60x40x30	2	8,70	B	AR11PEEF250x200

57 Reducer


- PE 100 Black
- For use Water & Gas



SDR 11 : 16 Bar

Water



SDR 11 : 10 Bar

Gas



TYPE A




TYPE B

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d1	d2	L	Box Sizes	Nos/Box	Kg	Type	Code
250	225	240	60x40x30	2	7,80	B	AR11PEEF250x255
280	250	250	60x40x45	1	12,40	B	AR11PEEF280x200
280	225	250	60x40x45	1	12,30	B	AR11PEEF280x225
280	250	250	60x40x45	1	10,70	B	AR11PEEF280x250
315	280	280	60x40x45	1	18,10	B	AR11PEEF315x225
315	250	280	60x40x45	1	15,80	B	AR11PEEF315x250
315	280	280	60x40x45	1	13,90	B	AR11PEEF315x280
355	315	280	60x40x45	1	18,40	B	AR11PEEF355x315
355	280	280	60x40x45	1	19,60	B	AR11PEEF355x280
355	315	280	-	-	23,10	B	AR11PEEF355x315
400	355	300	-	-	27,50	B	AR11PEEF400x355
400	315	310	-	-	27,10	B	AR11PEEF400x315
400	355	320	-	-	31,30	B	AR11PEEF400x355
450	315	340	-	-	37,50	B	AR11PEEF450x315
450	355	340	-	-	36,40	B	AR11PEEF450x355
450	400	340	-	-	45,20	B	AR11PEEF450x400
500	355	350	-	-	48,10	B	AR11PEEF500x355
500	400	380	-	-	68,70	B	AR11PEEF500x400
500	450	400	-	-	64,40	B	AR11PEEF500x450
560	450	420	-	-	74,00	B	AR11PEEF560x450
560	500	430	-	-	75,00	B	AR11PEEF560x500
630	560	440	-	-	102,60	B	AR11PEEF630x560
710	630	470	-	-	152,00	B	AR11PEEF710x630
800	630	470	-	-	171,90	B	AR11PEEF800x630
800	710	480	-	-	170,00	B	AR11PEEF800x710
900	710	500	-	-	232,40	B	AR11PEEF800x710

58 Reducer



TYPE A



TYPE B

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas


SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d1	d2	L	Box Sizes	Nos/Box	Kg	Type	Code
900	800	500	-	-	270,00	B	AR11PEEF900x800
1000	800	520	-	-	247,10	B	AR11PEEF1000x800
1000	900	520	-	-	288,70	B	AR11PEEF1000x900
1200	1000	520	-	-	271,90	B	AR11PEEF1200x1000
1400	1200	520	-	-	301,80	B	AR11PEEF1400x1200

59

Elbow 90°



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar





TYPE A



TYPE B

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
20	98	38	30x40x15	60	0,08	B	AE9011PEEF20
25	98	38	30x40x15	70	0,05	A	AE9011PEEF25
32	109	41	30x40x30	60	0,09	B	AE9011PEEF32
40	131	47	30x40x30	35	0,18	B	AE9011PEEF40
50	155	51	30x40x30	20	0,27	B	AE9011PEEF50
63	189	48	60x40x30	40	0,50	A	AE9011PEEF63
75	211	65	60x40x30	15	0,74	B	AE9011PEEF75
90	242	70	60x40x30	16	1,16	A	AE9011PEEF90
110	274	76	60x40x45	10	1,29	A	AE9011PEEF110
125	297	82	60x40x30	6	2,86	A	AE9011PEEF125

60 Elbow 90°


- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar




TYPE C



TYPE D

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
140	300	95	60x40x30	3	3,00	C	AE9011PEEF140
160	293	98	60x40x30	2	3,63	C	AE9011PEEF160
180	335	110	60x40x45	2	6,50	C	AE9011PEEF180
200	400	120	60x40x30	1	9,30	C	AE9011PEEF200
225	460	110	60x60x33	1	18,32	C	AE9011PEEF225
250	450	130	-	1	23,00	C	AE9011PEEF250
315	540	115	-	1	35,00	D	AE9011PEEF315

61 Elbow 45°


TYPE A



TYPE B

- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
25	106	38	40x30x15	80	0,06	B	AE4511PEEF25
32	116	41	40x30x30	80	0,05	B	AE4511PEEF32
40	136	47	40x30x30	55	0,13	B	AE4511PEEF40
50	166	51	40x30x30	32	0,23	B	AE4511PEEF50
63	197	58	40x30x30	25	0,40	A	AE4511PEEF63
75	216	66	60x40x30	20	0,58	B	AE4511PEEF75
90	242	72	60x40x30	20	0,94	A	AE4511PEEF90
110	268	76	60x40x30	12	1,01	A	AE4511PEEF110
125	302	82	60x40x30	6	2,59	A	AE4511PEEF125

62 Elbow 45°


- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar



Gas

SDR 11 : 10 Bar



TYPE C




TYPE D

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	L1	Box Sizes	Nos/Box	Kg	Type	Code
140	302	75	60x30x30	3	2,80	C	AE4511PEEF140
160	300	70	60x30x30	2	3,00	C	AE4511PEEF160
180	325	80	60x30x30	1	4,90	C	AE4511PEEF180
200	325	80	60x30x30	1	8,50	C	AE4511PEEF200
225	570	110	60x60x33	1	14,13	C	AE4511PEEF225
250	650	110	-	-	21,00	C	AE4511PEEF250
315	750	115	-	-	34,20	D	AE4511PEEF315

63 End Cap



- PE 100 Black
- For use Water & Gas



Water

SDR 11 : 16 Bar





Gas

SDR 11 : 10 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	Box Sizes	Nos/Box	Kg	Code
20	68	30x40x15	100	0,05	AEC11PEEF20
25	82	30x40x15	80	0,07	AEC11PEEF25
32	89	30x40x30	60	0,09	AEC11PEEF32
40	97	30x40x30	50	0,12	AEC11PEEF40
50	110	30x40x30	40	0,19	AEC11PEEF50
63	134	30x40x30	30	0,30	AEC11PEEF63
75	145	30x40x30	24	0,49	AEC11PEEF75
90	163	60x40x30	24	0,78	AEC11PEEF90
110	198	60x40x30	20	1,29	AEC11PEEF110
125	185	60x40x45	16	1,39	AEC11PEEF125
140	192	60x40x45	12	2,03	AEC11PEEF140
160	210	60x40x45	12	2,72	AEC11PEEF160
180	221	60x40x45	8	3,71	AEC11PEEF180
200	224	60x40x45	6	4,38	AEC11PEEF200
225	270	60x40x30	2	6,00	AEC11PEEF225
250	290	60x40x45	2	8,20	AEC11PEEF250
280	300	60x40x45	2	10,05	AEC11PEEF280
315	290	60x40x45	2	19,10	AEC11PEEF315
355	300	-	-	22,00	AEC11PEEF355
400	350	-	-	29,36	AEC11PEEF400
450	370	-	-	36,51	AEC11PEEF450
500	415	-	-	51,66	AEC11PEEF500
560	460	-	-	73,36	AEC11PEEF560
630	480	-	-	92,90	AEC11PEEF630
710	505	-	-	130,70	AEC11PEEF710



- PE 100 Black
- For use Water & Gas



Water

SDR 17 : 10 Bar




Gas

SDR 17 : 6 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	Box Sizes	Nos/Box	Kg	Code
200	220	60x40x45	6	4,66	AEC17PEEF200
225	230	60x40x30	2	6,24	AEC17PEEF225
250	240	60x40x45	2	8,10	AEC17PEEF250
280	240	60x40x45	2	11,20	AEC17PEEF280
315	345	60x40x45	2	15,05	AEC17PEEF315
355	300	60x40x45	2	15,60	AEC17PEEF355
400	350	-	-	21,10	AEC17PEEF400
450	370	-	-	29,45	AEC17PEEF450
500	415	-	-	38,80	AEC17PEEF500
560	460	-	-	54,65	AEC17PEEF560
630	480	-	-	79,50	AEC17PEEF630
710	505	-	-	10,150	AEC17PEEF710



- PE 100 Black
- For use Water & Gas



Water

SDR 17 : 10 Bar




Gas

SDR 17 : 6 Bar

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	Box Sizes	Nos/ Box	Kg	Code
110	97	60x40x30	16	1,39	AEC17PEEF110
160	115	60x40x30	12	2,89	AEC17PEEF160
200	140	60x40x30	4	4,85	AEC17PEEF200
250	170	60x40x30	2	6,10	AEC17PEEF250
315	220	-	-	10,80	AEC17PEEF315
400	230	-	-	16,90	AEC17PEEF400
500	280	-	-	32,50	AEC17PEEF500
560	270	-	-	42,70	AEC17PEEF560

66 Coupler For Pre - Insulated



- PE 100 Black


The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Kg	Code
90	100	560	1,09	ACPIPEEF90
110	123	560	1,41	ACPIPEEF110
125	138	560	1,74	ACPIPEEF125
140	153	560	2,27	ACPIPEEF140
160	173	560	2,87	ACPIPEEF160
180	197	560	3,57	ACPIPEEF180
200	220	560	4,52	ACPIPEEF200
225	244	560	5,54	ACPIPEEF225
250	273	560	6,95	ACPIPEEF250
280	300	560	8,80	ACPIPEEF280
315	345	560	11,19	ACPIPEEF315
355	390	560	14,11	ACPIPEEF355
400	435	560	17,94	ACPIPEEF400
450	490	560	22,13	ACPIPEEF450
500	545	560	27,72	ACPIPEEF500
560	610	560	35,13	ACPIPEEF560
630	685	560	44,55	ACPIPEEF630
710	770	560	56,45	ACPIPEEF710

67 Flexible Patch For Sleeve Couplers


Main Pipe Size	d	Code
90 - 630	152	AFPFSC11PEEF152






- PE 100 Black
- For use Water & Gas

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.



69

PP - Coupler



- For use Water



SDR 26 : 6 Bar


Water

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	Box Sizes	Nos/Box	Kg	Code
110	110	60x40x30	24	0,33	AC26PPEF110
160	160	60x40x45	12	0,80	AC26PPEF160
200	165	60x40x45	8	1,16	AC26PPEF200
250	165	60x40x30	4	1,68	AC26PPEF250
315	165	60x40x45	3	2,63	AC26PPEF315
400	225	60x60x33	1	5,80	AC26PPEF400
500	225	-	-	9,40	AC26PPEF500
630	330	-	-	19,70	AC26PPEF630
710	330	-	-	26,00	AC26PPEF710
800	330	-	-	33,00	AC26PPEF800

70

PP - Welding Adaptor (M/F)




- For use Water



SDR 26 : 6 Bar

Water

d	D	L	Box Sizes	Nos/Box	Code
110	128	147	60x45x40	12	AS26PPEF110
160	177	184	60x45x40	12	AS26PPEF160
200	222	197	60x45x40	8	AS26PPEF200

71 PP - Saddle


- For use Water




SDR 26 : 6 Bar

Water



The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	L	Box Sizes	Nos/Box	Kg	Code
110	110	60x40x30	24	0,33	AS26PPEF110
160	160	60x40x45	12	0,80	AS26PPEF160
200	165	60x40x45	8	1,16	AS26PPEF200
250	165	60x40x30	4	1,68	AS26PPEF250
315	165	60x40x45	3	2,63	AS26PPEF315
400	225	60x60x33	1	5,80	AS26PPEF400
500	225	-	-	9,40	AS26PPEF500
630	330	-	-	19,70	AS26PPEF630
710	330	-	-	26,00	AS26PPEF710
800	330	-	-	33,00	AS26PPEF800

72 U - Coupler


- PE 100 Black
- For use Water




SDR 11 : 16 Bar

Water

d	D	L	Box Sizes	Nos/Box	Code
32	90	110	30x40x15	25	AUC11PEEF32

73

Dual Containment Flex Elbow





• PE 100 Black



SDR 26 : 6 Bar

Water




The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Box Sizes	Nos/Box	Kg	Code
90	185,1	178	60x40x30	2	2,81	ADCFE26PEEF90
110	185,1	178	60x40x30	2	2,81	ADCFE26PEEF110

74

Reducer (Short) For Dual Containment Pipe




• PE 100 Black



SDR 26 : 6 Bar

Water

d1	d2	L	Box Sizes	Nos/Box	Nos/Box	Code
75	63	70	40x30x30	48	0,19	ARDCP26PEEF75x63
110	75	90	60x40x30	35	0,39	ARDCP26PEEF110x75

75 Dual Containment Coupler



- PE 100 Black



Water

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	L	Box Sizes	Nos/Box	Kg	Code
110	1160	225	60x40x30	6	1,45	ADCCPEEF110


76 Tank Penetration Saddle


- PE 100 Black




Water

d1	D	L	Box Sizes	Nos/Box	Kg	Code
63	163	153	60x40x30	15	0,61	ATPSPEEF63
75	174	153	60x40x30	15	0,66	ATPSPEEF75
110	210	153	60x40x30	12	0,79	ATPSPEEF110




- PE 100 Black


The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.



During HD Operation, PE pipe may be filled with mud. Cleaning inside of the pipe is difficult and expensive work. AMD EF Inner cap is an INNOVATIVE solution to prevent it. Before pushing the PE pipe to the ground, EF Inner Cap welf to the pipe. After taking PE pipe end to the ground level, EF Inner Cap must be cut.



78 Tank Outlet For PE And PE - X Tank




- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	D	Code
32,40,50,63,75,90,110,125,140,160,180,200,225,280	160 - 5000	ATOFPAPTPEEF32-1200
315,355,400,450,500,560,630,710,800,900,1000,1200		



79 PE - Brass Transition Coupler (Male)



- PE 100 Black



The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	D	L	Box Size	Nos/Box	Kg	Code
20	1/2	33	122	40x30x15	75	0,14	ABTCMPEEF20
20	3/4	33	122	40x30x15	75	0,14	ABTCMPEEF20
25	3/4	41	128	40x30x15	50	0,19	ABTCMPEEF25
32	3/4	48	150	40x30x30	60	0,32	ABTCMPEEF32
32	1/2	48	150	40x30x30	60	0,32	ABTCMPEEF32
32	1	48	150	40x30x30	60	0,32	ABTCMPEEF32
32	1 1/4	48	150	40x30x30	60	0,32	ABTCMPEEF32
40	1 1/4	55	160	40x30x30	40	0,44	ABTCMPEEF40
50	1 1/2	67	175	40x30x30	30	0,56	ABTCMPEEF50
63	2	80	200	40x30x30	18	0,75	ABTCMPEEF63
75	2 1/2	94	206	40x30x30	16	1,25	ABTCMPEEF75
90	3	115	225	40x40x30	15	1,85	ABTCMPEEF90
110	4	132	244	40x40x30	15	2,82	ABTCMPEEF110


80 PE - Brass Transition Coupler (Female)



- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	D	L	Box Size	Nos/Box	Kg	Code
20	1/2	33	108	40x30x15	75	0,12	ABTCFPEEF20
25	3/4	41	114	40x30x15	50	0,17	ABTCFPEEF25
32	1	48	130	40x30x30	60	0,26	ABTCFPEEF32
40	1 1/4	55	140	40x30x30	40	0,32	ABTCFPEEF40
50	1 1/2	55	140	40x30x30	30	0,47	ABTCFPEEF50
63	2	80	172	40x30x30	18	0,77	ABTCFPEEF63
75	2 1/2	94	181	40x30x30	10	1,15	ABTCFPEEF75

81 PE - Brass Transition Coupler (Female)



- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	D	L	Box Size	Nos/Box	Kg	Code
20	1/2	36	155	40x30x30	60	0,18	ABTLM90PEEF20
20	3/4	36	155	40x30x30	60	0,18	ABTLM90PEEF20
25	3/4	37	155	40x30x30	60	0,18	ABTLM90PEEF25
32	1	44	180	40x30x30	40	0,32	ABTLM90PEEF32
32	3/4	44	180	40x30x30	40	0,32	ABTLM90PEEF32
32	1/2	44	180	40x30x30	40	0,32	ABTLM90PEEF32
40	1 1/4	54	200	40x30x30	24	0,53	ABTLM90PEEF40
50	1 1/2	63	230	40x30x30	20	0,70	ABTLM90PEEF50
63	2	84	270	40x30x30	10	1,07	ABTLM90PEEF63
75	2 1/2	100	304	40x30x30	6	1,70	ABTLM90PEEF75
90	3	120	295	60x40x45	8	2,31	ABTLM90PEEF90
110	4	138	307	60x40x45	8	3,42	ABTLM90PEEF110

82


PE - Brass Transition Elbow 90° (Female)



- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	D	L	Box Size	Nos/Box	Kg	Code
20	1/2	36	135	40x30x30	60	0,16	ABTLF90PEEF20
25	3/4	37	135	40x30x30	60	0,18	ABTLF90PEEF25
32	1	44	155	40x30x30	40	0,28	ABTLF90PEEF32
40	1 1/4	54	180	40x30x30	24	0,41	ABTLF90PEEF40
50	1 1/2	67	210	40x30x30	20	0,59	ABTLF90PEEF50
63	2	84	245	40x30x30	10	1,07	ABTLF90PEEF63
75	2 1/2	100	284	40x30x30	5	1,60	ABTLF90PEEF75




- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	D	L	Box Size	Nos/Box	Kg	Code
20	1/2	37	140	40x30x30	60	0,19	ABTEM45PEEF20
20	3/4	37	140	40x30x30	60	0,19	ABTEM45PEEF25
25	3/4	37	140	40x30x30	60	0,19	ABTEM45PEEF32
32	1	43	185	40x30x30	40	0,32	ABTEM45PEEF32
32	3/4	43	185	40x30x30	40	0,32	ABTEM45PEEF32
32	1/2	43	185	40x30x30	40	0,32	ABTEM45PEEF32
40	1 1/4	53	205	40x30x30	30	0,48	ABTEM45PEEF40
50	1 1/2	66	240	40x30x30	20	0,66	ABTEM45PEEF50
63	2	83	295	40x30x30	10	0,97	ABTEM45PEEF63
75	2 1/2	100	283	40x30x30	8	1,50	ABTEM45PEEF75
90	3	120	300	60x40x30	8	2,14	ABTEM45PEEF90
110	4	138	281	60x40x30	8	3,65	ABTEM45PEEF110


84 PE - Brass Transition Elbow 45° (Female)



• PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	D	L	Box Size	Nos/Box	Kg	Code
20	1/2	37	155	40x30x30	60	0,14	ABTEF45PEEF20
25	3/4	37	155	40x30x30	60	0,17	ABTEF45PEEF25
32	1	43	160	40x30x30	40	0,26	ABTEF45PEEF32
40	1 1/4	53	190	40x30x30	30	0,36	ABTEF45PEEF40
50	1 1/2	66	220	40x30x30	20	0,55	ABTEF45PEEF50
63	2	83	275	40x30x30	10	0,97	ABTEF45PEEF63
75	2 1/2	100	268	40x30x30	5	1,40	ABTEF45PEEF75



- PE 100 Black
- For use Water




SDR 11 : 16 Bar

Water

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	L	L1	Kg	Code
20	1/2"	90	45	0,10	ABTFMT11PEEF20
20	3/4"	90	45	0,13	ABTFMT11PEEF20
25	3/4"	90	45	0,13	ABTFMT11PEEF25
32	3/4"	110	48	0,24	ABTFMT11PEEF32
32	1/2"	110	48	0,24	ABTFMT11PEEF32
32	1"	110	48	0,18	ABTFMT11PEEF32
40	1 1/4"	115	55	0,35	ABTFMT11PEEF40
50	1 1/2"	125	65	0,43	ABTFMT11PEEF50
63	2"	140	72	0,57	ABTFMT11PEEF63
75	2 1/2"	148	79	0,90	ABTFMT11PEEF75
90	3"	180	80	1,46	ABTFMT11PEEF90
110	4"	220	93	2,45	ABTFMT11PEEF110

86 PE - Brass Transition Fitting Female Threaded]



- PE 100 Black
- For use Water
- Spigot



SDR 11 : 16 Bar


Water



The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	L	L1	Kg	Code
20	1/2"	78	45	0,08	ABTFFT11PEEF20
25	3/4"	78	45	0,11	ABTFFT11PEEF25
32	1"	90	48	0,18	ABTFFT11PEEF32
40	1 1/4"	95	55	0,23	ABTFFT11PEEF40
50	1 1/2"	105	65	0,32	ABTFFT11PEEF50
63	2"	115	73	0,68	ABTFFT11PEEF63
75	2 1/2"	128	79	0,80	ABTFFT11PEEF75

87 PE - Transition Fitting Male (Threaded)



- PE 100 Black
- For use Water




SDR 11 : 16 Bar

Water

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

d	R	L	L1	Kg	Code
20	1/2"	70	40	0,04	ABTFFT11PEEF20
32	1"	80	45	0,05	ABTFFT11PEEF32
50	1 1/2"	114	67	0,10	ABTFFT11PEEF50
63	2"	124	74	0,15	ABTFFT11PEEF63

88 Flex Restraint




- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.


R	L	H	W	Code
110 - 1600	152	40	63	AFRPEEF110

- Maksimum permissible axial force 42,3 Kn Simple solution dor concrete wall transition




PROBLEM
- Because of the thermal expansion, PE pipe moves each side anda gap occurs between pipe and concrete.

EF FLEX RESTRAINTS are welded to the pipe.




SOLUTION
- To prevent movement of pipe and gap, EF FLEX RESTRAINTS are fixed to the pipe by welding.



- Concrete is built between two wood block



- Two wood blocks are separated from concrete
- Only concrete block stands and EF Flex Restraints Keep pipe stable.



• PE 100 Black


The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

- For wall transition the only critical force on the pipe is thermal expansion of the pipe system
- AMD EF Flex Restraint compete enough axial force to resist expansion. [42,2 kN / each flex]
- Use enough number of flex restraint on your pipe diameter.

Flex restraints also can be used for centering and easy sliding of a PE pipe in another pipe

d	Sdr 11 Quantity of Restraints Needed	Sdr 17 Quantity of Restraints Needed	Code
160	2	2	AFRPEEF160
180	2	2	AFRPEEF180
200	2	2	AFRPEEF200
225	2	2	AFRPEEF225
250	2	2	AFRPEEF250
280	2	2	AFRPEEF280
315	3	2	AFRPEEF315
355	4	3	AFRPEEF355
400	5	3	AFRPEEF400
450	6	4	AFRPEEF450
500	7	5	AFRPEEF500
560	8	6	AFRPEEF560
630	10	7	AFRPEEF630
710	13	9	AFRPEEF710
800	17	11	AFRPEEF800
900	21	14	AFRPEEF900
1000	26	18	AFRPEEF1000
1200	37	25	AFRPEEF1200
1400	46	31	AFRPEEF1400
1600	57	39	AFRPEEF1600

90 Flex Restraint






- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

EF FLEX RESTRAINTa are welded to the pipe and prevents blocks to slip.

91 Inner Flex For Manhole Steps


300 < D < 4000 mm





- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.




Why is HEAVY DUTY F FLEX ?

If you need HANDLES on a Pe100 pipe, HEAVY EF FLEX can resist up to 1000 Kn axial force.

AMD has created this innovative product, for industrial application: the pipe up to 4000 mm diameter.




- PE 100 Black



D	d2	d3	L1	L	Code
110	158	125	77	102	AFAPEEF110
125	158	132	77	102	AFAPEEF125
140	188	155	85	110	AFAPEEF140
160	212	175	85	110	AFAPEEF160
180	212	185	85	110	AFAPEEF180
200	268	232	85	120	AFAPEEF200
225	268	235	95	120	AFAPEEF225
250	320	285	95	120	AFAPEEF250
280	320	291	95	120	AFAPEEF280
315	370	335	95	135	AFAPEEF315
355	430	373	110	150	AFAPEEF355
400	482	427	120	160	AFAPEEF400
450	585	514	130	170	AFAPEEF450
500	585	530	140	180	AFAPEEF500
560	685	615	145	180	AFAPEEF560
630	685	642	145	180	AFAPEEF630
710	800	737	145	180	AFAPEEF710
800	905	840	145	180	AFAPEEF800
900	1005	944	145	180	AFAPEEF900
1000	1110	1047	145	180	AFAPEEF1000
1200	1330	1245	145	180	AFAPEEF1200


94 Dost Flange Adaptor




- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

- Available on request all the size from D 160 to D 1600






- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.



96 Inner Coupler Female Adaptor




- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.



Part of PE	Threaded Size	Code
Available on request	1"	AICWFTPEEF110
Available on request	2"	AICWFTPEEF125
Available on request	3"	AICWFTPEEF140
Available on request	4"	AICWFTPEEF160
Available on request	6"	AICWFTPEEF180



- PE 100 Black
- High Pressure Sandwich

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.




For PRT (Temperatur Resistance) and High Pressure Pipe Up to Pn100:
Problem: The inner layer must be protected from the contact of water or any liquid

Solution


Sandwich Coupler

Sandwich Saddle



98

Brass Outlet Saddle



Type A

- PE 100 Black
- For use Water & Gas




Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar



Type B




Type C

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Type	Code
50	3/4	12	30x40x30	12	050	B	ABOS11PEEF50
63	3/4	12	30x40x30	12	073	B	ABOS11PEEF63
75	3/4	12	30x40x30	12	069	B	ABOS11PEEF75
90	3/4	12	30x40x30	12	065	A	ABOS11PEEF90
110	3/4	12	30x40x30	12	071	A	ABOS11PEEF110
125	3/4	12	30x40x30	12	071	A	ABOS11PEEF125
140	3/4	12	30x40x30	12	093	A	ABOS11PEEF140
160	3/4	12	30x40x30	12	093	A	ABOS11PEEF160
180	3/4	12	30x40x30	12	093	A	ABOS11PEEF180
200	3/4	12	30x40x30	12	093	A	ABOS11PEEF200
225	3/4	12	30x40x30	12	093	A	ABOS11PEEF225
250	3/4	12	30x40x30	12	063	C	ABOS11PEEF250
280	3/4	12	30x40x30	12	063	C	ABOS11PEEF280
315	3/4	12	30x40x30	12	062	C	ABOS11PEEF315
355	3/4	12	30x40x30	12	062	C	ABOS11PEEF355
400	3/4	12	30x40x30	12	062	C	ABOS11PEEF400
450	3/4	12	30x40x30	12	061	C	ABOS11PEEF450
500	3/4	12	30x40x30	12	061	C	ABOS11PEEF500
560	3/4	12	30x40x30	12	061	C	ABOS11PEEF560
630	3/4	12	30x40x30	12	060	C	ABOS11PEEF630

99

Brass Outlet Saddle



Type A

- PE 100 Black
- For use Water & Gas




Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar




Type B



Type C

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

D	d	L	Box Sizes	Nos/Box	Kg	Type	Code
710	3/4	12	30x40x30	12	0,60	C	ABOS11PEEF710
63	1	12	30x40x30	12	0,75	B	ABOS11PEEF63
75	1	12	30x40x30	12	0,71	B	ABOS11PEEF75
90	1	12	30x40x30	12	0,67	A	ABOS11PEEF90
110	1	12	30x40x30	12	0,73	A	ABOS11PEEF110
125	1	12	30x40x30	12	0,73	A	ABOS11PEEF125
140	1	12	30x40x30	12	0,95	A	ABOS11PEEF140
160	1	12	30x40x30	12	0,95	A	ABOS11PEEF160
180	1	12	30x40x30	12	0,95	A	ABOS11PEEF180
200	1	12	30x40x30	12	0,95	A	ABOS11PEEF200
225	1	12	30x40x30	12	0,95	A	ABOS11PEEF225
250	1	12	30x40x30	12	0,64	C	ABOS11PEEF250
280	1	12	30x40x30	12	0,64	C	ABOS11PEEF280
315	1	12	30x40x30	12	0,63	C	ABOS11PEEF315
355	1	12	30x40x30	12	0,63	C	ABOS11PEEF355
400	1	12	30x40x30	12	0,63	C	ABOS11PEEF400
450	1	12	30x40x30	12	0,62	C	ABOS11PEEF450
500	1	12	30x40x30	12	0,62	C	ABOS11PEEF500
560	1	12	30x40x30	12	0,62	C	ABOS11PEEF560
630	1	12	30x40x30	12	0,61	C	ABOS11PEEF630

100 Brass Outlet Saddle


Type A

- PE 100 Black
- For use Water & Gas




Water

SDR 11 : 16 Bar




Gas

SDR 11 : 10 Bar




Type B

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.



Type C


D	d	L	Box Sizes	Nos/Box	Kg	Type	Code
710	1	12	30x40x30	12	0,61	C	ABOS11PEEF710
63	2	20	30x40x30	12	1,12	B	ABOS11PEEF63
75	2	20	30x40x30	12	1,08	B	ABOS11PEEF75
90	2	20	30x40x30	12	1,04	B	ABOS11PEEF90
110	2	20	30x40x30	12	1,10	B	ABOS11PEEF110
125	2	20	30x40x30	12	1,10	B	ABOS11PEEF125
140	2	20	30x40x30	12	1,32	B	ABOS11PEEF140
160	2	20	30x40x30	12	1,32	B	ABOS11PEEF160
180	2	20	30x40x30	12	1,32	B	ABOS11PEEF180
200	2	20	30x40x30	12	1,32	B	ABOS11PEEF200
225	2	20	30x40x30	12	1,32	B	ABOS11PEEF225
250	2	20	30x40x30	12	0,77	C	ABOS11PEEF250
280	2	20	30x40x30	12	0,77	C	ABOS11PEEF280
315	2	20	30x40x30	12	0,76	C	ABOS11PEEF315
355	2	20	30x40x30	12	0,76	C	ABOS11PEEF355
400	2	20	30x40x30	12	0,76	C	ABOS11PEEF400
450	2	20	30x40x30	12	0,75	C	ABOS11PEEF450
500	2	20	30x40x30	12	0,75	C	ABOS11PEEF500
560	2	20	30x40x30	12	0,75	C	ABOS11PEEF560
630	2	20	30x40x30	12	0,74	C	ABOS11PEEF630
710	2	20	30x40x30	12	0,74	C	ABOS11PEEF710

101 Wheel Saddle


- PE 100 Black

The quality policy of AMD is to offer the high quality products and services to meet our customers' requirements. We adapt our focus and resources to servicing the ever changing needs of customers across many industries. AMD continually strives to exceed our customer expectations for excellence, value and quality.

- Ideal for placing the PE Pipe into all type of pipe
- Any number of EF Wheel saddle can be fused around PE pipe
- Each saddle can carry a load of 275 kg.





GoldenPiping^{ID}
2024

AMD

Golden Building Jl.Raya Legok-Karawaci No.57-58 Kelapa Dua, Tangerang - Banten 15811 Indonesia
WA. 0811 1177 595, Telp.+62 21 2292 7700, 2292 7788, E-mail : info@depopipa.com
www.goldenpiping.id