




PRODUCT
CATALOG
2024



AMD PLASTIC VALVE

PT. GOLDEN PIPING INDONESIA



TENTANG KAMI

PT. GOLDEN PIPING INDONESIA

PT. GPI Sejak Tahun 2000, merupakan perusahaan yang terlengkap dalam menyediakan produk dan solusi sistem perpipaan, untuk berbagai kebutuhan pada jaringan air bersih, air buangan, air panas, pendingin udara, irigasi, hydrant, dewatering, pelindung kabel, gas dan instalasi lainnya, yang banyak digunakan pada bidang Infrastruktur PUPR, PDAM, Utilitas, Pertambangan, Industri, Pertambangan, Perkebunan, Taman, Pertanian, Perumahan, Gedung, Telekom, Electrical dan Gas.

Produk kami diantaranya Pipa HDPE, PVC, PPR, Steel, PE Multilayer, PE Corrugated, Fitting, Mesin & Tool, Valve, Aksesories, dan Instalasi. Kami selalu berinovasi mengembangkan produk dengan teknologi terkini sehingga lebih berkualitas, efisien, dan optimal.

Visi

Menjadi Perusahaan Terbesar, Terbaik, Terinovatif dan Terlengkap di bidang Perpipaan di Indonesia

Misi

- Menyediakan Produk berkualitas dan bergaransi.
- Menyediakan solusi lengkap di bidang perpipaan.
- Memberikan dukungan teknis produk dan pemasangan.
- Berinovasi dengan teknologi terbaru sehingga lebih optimal.
- Memberikan Pelayanan, Kemudahan, Pengiriman dan harga terbaik.

200+

Karyawan

10.000+

Konsumen

15.000+

Produk

22.000 m²

Area



AMD Ball Valve PP Compression

1



AMD Ball Valve PP Push

2



AMD Ball Valve PVC Compression
Female

3



AMD Ball Valve PVC Double Union
Socket With ABS Coating Ball

4



AMD Ball Valve PVC Double Union
Threaded With ABS Coating Ball

5



AMD Ball Valve PVC Seat Sock
With ABS Coating Ball

6



AMD Ball Valve PVC Seat Threaded
With ABS Coating Ball

7



AMD Ball Valve PVC Single Union
Socket

8



AMD Ball Valve PVC Single Union
Threaded

9



AMD Ball Valve PVC Single Union
Threaded M/F

10



AMD Ball Valve PVC Sock
With Coating Ball

11



AMD Ball Valve PVC Threaded
With ABS Coating Ball

12



AMD Butterfly Valve PVC Gear

13



AMD Butterfly Valve PVC
Lever Handle

14



AMD Double Union Socket

15



AMD Double Union Threaded

16



AMD Female Ball Valve
PP Compression

17



AMD Female Ball Valve
PP Compression

18



AMD Foot Valve PVC Threaded

19



AMD Male Female Ball Valve
PP Compression

20



AMD Swing Check Valve Flange

21



AMD Swing Check Valve Thread

22



AMD Swing Foot Valve Flange

23



AMD Ball Valve PVC Single Union
Threaded F/F

24



AMD Male Ball Valve
PP Compression


25



AMD Ball Valve PP Compression

26


01 AMD Ball Valve PP Compression



- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 [20-63], PN 10 [75-110],
- ISO 14236.2000

DN	D	d	L	BOX	Kg	CODE
20	44	21	59	260	0.050	AECPPC20
25	56	26	76	150	0.073	AECPPC25
32	65	33	88	120	0.092	AECPPC32
40	80	41	113	65	0.154	AECPPC40
50	92	51	127	40	0.275	AECPPC50
63	114	64	137	32	0.469	AECPPC63

02 Compact Valve




These fittings allow for a quick, simple insertion of the tube, considerably reducing installation time: simply loosen the nut (without removing it) and insert the pipe. the specifications of the PP compression fittings are complete, which can meet the needs of different construction sites.

Size	L	L1	d	D	H	Code
20	100	28	33	20,5	60	ACVPPQF20
25	118	34	39,5	25,5	65	ACVPPQF25
32	146	43	48	32,8	83	ACVPPQF32

03

AMD Ball Valve PVC Compression Female



- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 (20-63), PN 10 (75-110)
- ISO 14236.2000

DN	D	d	L	H	BOX	Kg	CODE
20x1/2"	44	21	150	65	180	0.495	ABVMUPPC20x1/2
25x3/4"	56	26	165	70	120	1.202	ABVMUPPC25x3/4
32x1"	65	33	195	90	80	2.698	ABVMUPPC32x1
40x1-1/4"	80	41	230	100	60	4.827	ABVMUPPC40x1-1/4
50x1-1/2"	92	51	260	125	36	13.808	ABVMUPPC50x1-1/2
63x2"	114	64	305	150	19	43.300	ABVMUPPC63x2

04

AMD Ball Valve PVC Double Union Socket With ABS Coating Ball



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

DN	D	D1	D2	A	B	C	D	E	L
1/2	15	20.3	19.8	68	81	77.5	28.8	54	16
3/4	20	25.4	24.8	76	91	88.5	35.2	59.4	19
1	25	32.3	31.7	87	104	102	42.8	68.7	22
1-1/4	30	40.4	39.7	102	120.5	116	51.8	78.6	26
1-1/2	39	50.4	49.7	119	143	135.5	61.8	94.6	32
2	49	63.4	62.7	145	173.6	164	75.3	114.6	38
2-1/2	60	75.5	74.6	178	206	192	89.2	139	41
3	76	90.5	89.6	209	240.5	227	106.4	168	51
4	96	110.6	109.5	248	281	217.5	130.7	205.6	60

05

AMD Ball Valve PVC Double Union
Threaded With ABS Coating Ball



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

DN	D	D1	D2	A	B	C	D	E	L
1/2	15	20.3	19.8	68	81	77.5	28.8	54	16
3/4	20	25.4	24.8	76	91	88.5	35.2	59.4	19
1	25	32.3	31.7	87	104	102	42.8	68.7	22
1-1/4	30	40.4	39.7	102	120.5	116	51.8	78.6	26
1-1/2	39	50.4	49.7	119	143	135.5	61.8	94.6	32
2	49	63.4	62.7	145	173.6	164	75.3	114.6	38
2-1/2	60	75.5	74.6	178	206	192	89.2	139	41
3	76	90.5	89.6	209	240.5	227	106.4	168	51
4	96	110.6	109.5	248	281	217.5	130.7	205.6	60

06

AMD Ball Valve PVC Seat Socket
With ABS Coating Ball



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

DN	L	L1	L2	D	H	D
1/2	93.4	79	31	31.7	64	14.9
3/4	98.6	79	31	37	70.5	19.9
1	114.3	101.2	35	44.8	87.8	24.8
1-1/4	128.9	101.2	38	57.4	99.5	31.6
1-1/2	139.6	131.4	41	63.9	114.8	37.4
2	167.2	131.4	48	79	128.7	46.6

07

AMD Ball Valve PVC Seat Threaded
With ABS Coating Ball



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

DN	L	L1	L2	D	H	D
1/2	93.4	79	31	31.7	64	14.9
3/4	98.6	79	31	37	70.5	19.9
1	114.3	101.2	35	44.8	87.8	24.8
1-1/4	128.9	101.2	38	57.4	99.5	31.6
1-1/2	139.6	131.4	41	63.9	114.8	37.4
2	167.2	131.4	48	79	128.7	46.6

08

AMD Ball Valve PVC Single Union
Socket



U-PVC Threaded Single Union Standard Ball Valve in Imperial Standard has one union on one side of the fitting which allows for disconnection from a pipe for cleaning or maintenance at one end of the valve.

- epco ISO 2009:2015
- WRAS Certificate
- Seal EPDM
- Weld Socket

G	L	Z	H	A	B	C	E	F	PN
1/2	16	44	76	50	10	58	39	21	15
3/4	19	52	90	60	11	65	47	24	15
1	22	58	102	68	13	75	55	27	15
1-1/4	26	66	118	80	18	75	60	30	15
1-1/2	31	74	136	96	20	87	68	35	15
2	38	92	168	116	20	101	80	40	15
2-1/2	44	126	214	145	25	123	90	45	10
3	51	138	240	166	28	138	100	50	10
4	61	153	275	210	28	160	120	60	10

09

AMD Ball Valve PVC Single Union
Threaded



U-PVC Threaded Single Union Standard Ball Valve in Imperial Standard has one union on one side of the fitting which allows for disconnection from a pipe for cleaning or maintenance at one end of the valve.

- epco ISO 2009:2015
- WRAS Certificate
- Seal EPDM
- Weld Threaded

G	L	Z	H	A	B	C	E	F	PN
1/2	16	44	76	50	10	58	39	21	15
3/4	19	52	90	60	11	65	47	24	15
1	22	58	102	68	13	75	55	27	15
1-1/4	26	66	118	80	18	75	60	30	15
1-1/2	31	74	136	96	20	87	68	35	15
2	38	92	168	116	20	101	80	40	15
2-1/2	44	126	214	145	25	123	90	45	10
3	51	138	240	166	28	138	100	50	10
4	61	153	275	210	28	160	120	60	10

10

AMD Ball Valve PVC Single Union
Threaded M/F



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

SIZE	D	D1	A	B	C	D	E	L
1/2								
3/4	20	26,4	65	78,4	85,7	35	59,4	18
1	25	33,2	73	89,9	100,5	41	68,7	19
1-1/4	30	41,9	84,5	106	111	49,8	78,6	23
1-1/2	39	47,8	93	123	133	59	94,6	24
2	49	59,6	107	144	159,5	72	114,6	28
2-1/2	60	75,2	141	173,5	191,5	89,4	139	33
3	76	87,9	151	201	221,5	103	168	38
4	96	113	175,5	237,5	267	128,2	205,6	43

11

AMD Ball Valve PVC Sock
With Coating Ball



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

	L	L1	L2	D	H	D
1/2	93.4	79	31	31.7	64	14.9
3/4	98.6	79	31	37	70.5	19.9
1	114.3	101.2	35	44.8	87.8	24.8
1-1/4	128.9	101.2	38	57.4	99.5	31.6
1-1/2	139.6	131.4	41	63.9	114.8	37.4
2	167.2	131.4	48	79	128.7	46.6
2-1/2						
3						
4						
5						
6						

12

AMD Ball Valve PVC Threaded
With ABS Coacting Ball



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

DN	L	L1	L2	D	H	D
1/2	93.4	79	31	31.7	64	14.9
3/4	98.6	79	31	37	70.5	19.9
1	114.3	101.2	35	44.8	87.8	24.8
1-1/4	128.9	101.2	38	57.4	99.5	31.6
1-1/2	139.6	131.4	41	63.9	114.8	37.4
2	167.2	131.4	48	79	128.7	46.6
2-1/2						
3						
4						

13

AMD Butterfly Valve PVC Gear



Tuas handle dan tipe gear. Berfungsi maksimal dalam menahan dan membuka tekanan air. Tahan terhadap korosi dan abrasi sehingga cocok untuk digunakan pada sistem air pembuangan limbah atau drainase.

DN	SIZE	L	L1	H	H1	H2
DN200	8	88	200	552	215	285
DN250	10	98	200	646	260	340

14

AMD Butterfly Valve PVC Lever Handle



Tuas handle dan tipe gear. Berfungsi maksimal dalam menahan dan membuka tekanan air. Tahan terhadap korosi dan abrasi sehingga cocok untuk digunakan pada sistem air pembuangan limbah atau drainase.

DN	SIZE	L	L1	H	H1	H2
DN50	2	43	190	223	100	143
DN65	2-1/2	46	190	245	112	155
DN80	3	49	240	270	120	172
DN100	4	54	240	308	140	194
DN125	5	64	310	352	168	223
DN150	6	70	310	352	181	239
Dn200	8	88	310	452	215	280

15

AMD Double Union Socket



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

Size	D	D1	D2	H	H
1/2	45	29.2	14	54	21
3/4	55.6	34.5	19	59.1	23
1	65.8	43	24	66.1	29
1-1/4	80.1	51	32	76	31
1-1/2	95.2	61	40	82.2	35
2	109.2	75.6	45	95.8	41
2-1/2					
3					
4					

16

AMD Double Union Threaded




- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

Size	D	D1	D2	H	H
1/2	45	29.2	14	54	21
3/4	55.6	34.5	19	59.1	23
1	65.8	43	24	66.1	29
1-1/4	80.1	51	32	76	31
1-1/2	95.2	61	40	82.2	35
2	109.2	75.6	45	95.8	41
2-1/2					
3					
4					

17

AMD Female Ball Valve
PP Compression




- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 [20-63], PN 10 [75-110]
- ISO 14236.2000

DN	d	L	H	BOX	Kg	CODE
1/2"	21	150	65	180	0.237	ABVFFPPC1/2
3/4"	26	165	70	120	0.593	ABVFFPPC3/4
1"	33	195	90	80	1.263	ABVFFPPC1
1-1/4"	41	230	100	60	2.465	ABVFFPPC1-1/4
1-1/4"	51	260	125	36	7.838	ABVFFPPC1-1/4
2"	64	305	150	19	21.111	ABVFFPPC2

18

AMD Female Ball Valve
PP Compression



- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 [20-63], PN 10 [75-110]
- ISO 14236.2000

DN	D	d	L	H	BOX	Kg	CODE
1/2"	44	21	150	65	200	0.431	ABVFUPPC1/2
3/4"	56	26	165	70	120	1.164	ABVFUPPC3/4
1"	65	33	195	90	80	2.565	ABVFUPPC1
1-1/4"	80	41	230	100	60	4.558	ABVFUPPC1-1/4
1-1/4"	92	51	260	125	36	13.144	ABVFUPPC1-1/4
2"	114	64	305	150	19	42.153	ABVFUPPC2

19

AMD Foot Valve PVC Threaded



Kualitas terbaik, mudah dipasang, ringan, tidak mudah bocor dan mampu menahan gaya mekanik air. Foot Valve kami terbuat dari UPVC yang aman digunakan dan tahan terhadap korosi. Foot valve ini sangat penting agar air tidak vakum saat menghisap air yang terpasang pada ujung pipa dari dalam tanah ke atas. Cocok untuk sistem instalasi kolam renang.

SIZE	d3	D	H2	L	I
3/4	22	36	43.5	143	32
1	26	41	54	152	32.8
1-1/4	26	49.3	54	156	37
1-1/2	44	57.7	77.6	214.7	58.5
2	44	70.2	77.6	216.7	63.5
2-1/2	60	88.7	168	251	61
3	78	104	184	293	77.6
4	78	132	184	295	77.8

20

AMD Male Female Ball Valve
PP Compression

- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 [20-63], PN 10 [75-110]
- ISO 14236.2000

DN	d	L	H	BOX	Kg	CODE
1/2"	21	150	65	180	0.237	ABVFFPPC1/2
3/4"	26	165	70	120	0.593	ABVFFPPC3/4
1"	33	195	90	80	1.263	ABVFFPPC1
1-1/4"	41	230	100	60	2.465	ABVFFPPC1-1/4
1-1/4"	51	260	125	36	7.838	ABVFFPPC1-1/4
2"	64	305	150	19	21.111	ABVFFPPC2

21

AMD Swing Check Valve Flange



swing check valve socket yang terbuat dari material PVC berkualitas dengan berbagai ukuran lengkap yang dapat menahan tekanan air yang sesuai dengan tekanan air pada sistem drainase. Dirancang untuk mencegah aliran balik pada sistem drainase dan memungkinkan aliran air mengalir hanya dalam satu arah.

Material: ABS, PVC, CPVC, PE, PP
Quality: ISO 9001 / CNS 2334

DN	SIZE	L	L1	H	H1	H2
DN50	2					
DN65	2-1/2					
DN80	3					
DN100	4					
DN125	5					
DN150	6					
Dn200	8					

22

AMD Swing Check Valve Thread



swing check valve socket yang terbuat dari material PVC berkualitas dengan berbagai ukuran lengkap yang dapat menahan tekanan air yang sesuai dengan tekanan air pada sistem drainase. Dirancang untuk mencegah aliran balik pada sistem drainase dan memungkinkan aliran air mengalir hanya dalam satu arah.

Material: ABS, PVC, CPVC, PE, PP
Quality: ISO 9001 / CNS 2334

DN	SIZE	L	L1
DN20	3/4	96	23
DN25	1	107	25
DN32	1-1/4	129	35
DN40	1-1/2	146	37
DN50	2	161	38
DN65	2-1/2	193	45
DN80	3	230	55
DN100	4	296	74
DN150	6	375	90

23

AMD Swing Foot Valve Flange



- Tipe sambungan tunggal, mudah memuat dan membongka muatan. Pasang secara vertikal, mengalir dari bawah ke atas.
- Kolom air terkecil yang disekat adalah 1 meter, dan tidak ada getaran bahkan pada laju aliran tinggi.
- Kualitas Tinggi: Halus, bobot ringan, anti-oksidasi, anti-korosi, anti-karat, harga yang masuk akal.

Material: PVC/UPVC/CPVC/PP
 Standar: DIN/BS/ANSI/JIS/CNS
 Tekanan: Normal/rendah/tekanan tinggi
 Suhu: Suhu Normal

DN	SIZE	L	L1
DN50	2		
DN65	2-1/2		
DN80	3		
DN100	4		
DN125	5		
DN150	6		
DN200	8		

24

AMD Ball Valve PVC Single Union Threaded



- Main Material PVC
- Size 1/2" To 4"
- Power Manual
- End Connection Socket/Threaded
- Customized Support OEM, ODM
- Standard CNS/JIS/DIN/BS/ANSI/NPT/BSPT
- Certificate ISO9001, SGS, GMC, CNAS
- Use Irrigation Agricultural, Water Supply

SIZE	D	D1	A	B	C	D	E	L
1/2								
3/4	20	26,7	65	76,9	85,7	35	59,4	18
1	25	33,5	73	86,8	100,5	43	68,7	19
1-1/4	30	42,2	84,5	103	111	52	78,6	23
1-1/2	39	48	93	115	133	61	94,6	24
2	49	59,9	107	136,4	159,5	73	114,6	28
2-1/2	60	75,5	141	163,	191,5	91,8	139	33
3	76	88,2	151	192	221,5	104	168	38
4	96	113,4	175,5	226	267,	130	205,6	43

25

AMD Male Ball Valve
PP Compression



- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 [20-63], PN 10 [75-110]
- ISO17885

DN	d	L	H	BOX	Kg	CODE
1/2"	21	150	65	180	0.237	ABVFFPPC1/2
3/4"	26	165	70	120	0.593	ABVFFPPC3/4
1"	33	195	90	80	1.263	ABVFFPPC1
1-1/4"	41	230	100	60	2.465	ABVFFPPC1-1/4
1-1/4"	51	260	125	36	7.838	ABVFFPPC1-1/4
2"	64	305	150	19	21.111	ABVFFPPC2

26

AMD Male Ball Valve
PP Compression



- Body, Nut, Bushing Polypropylene (PP-B)
- O-Ring Gasket (NBR)
- Clinching Ring (POM)
- PN 16 [20-63], PN 10 [75-110]
- ISO17885

DN	d1	d2	D1	D	L	L1	d3	H
20X1/2	21.6	15	42.2	40	16	112.7	13.5	47.4
25X3/4	26	22	49	48	17.5	127.32	18	56.3
32X1	34	24	59	56	22	22	23	63.4
40X1-1/4	41.1	32	71.5	63.7	23.1	196	28.8	75.2
50X1-1/2	52.4	40	85	76.5	23	216	35	84.4
63X2	65.8	50	104.5	95	27	246	46	99.2



GoldenPiping^{ID}
2024

AMD

Golden Building Jl.Raya Legok-Karawaci No.57-58 Kelapa Dua, Tangerang - Banten 15811 Indonesia
WA. 0811 1177 595, Telp.+62 21 2292 7700, 2292 7788, E-mail : info@depopipa.com
www.goldenpiping.id